



दिल्ली सरकार  
कार्यालय प्रमुख अभियंता, लो0नि0वि0  
12वां तल, बहु-मंजिला भवन, इन्द्रप्रस्थ संपदा, नई दिल्ली-110002  
☎ 23724561, 23317520, फैक्स 23766924  
Toll Free Complaint No. 1800 11 0093  
Website: <http://pwd.delhigovt.nic.in>  
E-mail-



[dmpwdhqdelhi@gmail.com](mailto:dmpwdhqdelhi@gmail.com)/[dppwdhqdelhi@gmail.com](mailto:dppwdhqdelhi@gmail.com)

सं0 41(11)/लो.नि.वि./प्र. अभि./2019/ 5465 - H

दिनांक: 09/11/2019

### कार्यालय आदेश

To implement the order passed by the Hon'ble Supreme Court of India in Writ Petition No. 13029/1985, a number of measures to control various factors which are contributing to the pollution in Delhi have to be taken by PWD and daily compliance report to be submitted to the higher authority.

Accordingly it is decided that all the offices in PWD, GNCTD will remain open on Sunday (10.11.2019) and Holiday (12.11.2019). Non-compliance of this order, shall be viewed seriously and disciplinary action will be taken against the defaulting official(s).

This issues with the approval of E-in-C, PWD, GNCTD.

उप-निदेशक (स्थापना)

To,

All Officials under  
PWD, GNCTD  
Through website

Copy to:- The Pr. Secretary, PWD, GNCTD, Delhi Secretariat, New Delhi  
for information please.

उप-निदेशक (स्थापना)