

27(27)

No. E-2089599
Government of India
O/o the Directorate General
Central Public Works Department,
EC-III (B) Section

Nirman Bhawan, New Delhi.

Date: 4 August, 2022

To

The Assistant Administrative Officer,
O/o CE(PWD),
PWD,
12th Floor, MSO Building, I.P. Estate,
New Delhi-110002.

DD (Estt/Pers)

प्रमुख अभियन्ता

आवृत्ति सं.

दिनांक

प्रमुख अभियन्ता

निदेशक (कार्मिक)

निदेशक (अनुवीक्षण)

निदेशक (कार्य)

उप सतर्कता अभियन्ता

6379

2/8/22

10/8/22

ATO

88h
12-8-2022

Sub: Regarding grant of 2nd Financial upgradation under MACP Scheme to AE (Elect.).

Sir,

I am directed to refer to your letter No. 27(37)/CE/PWD/2022/2937 dated 27/07/2022 on the subject cited above and to say that the 2nd MACP case in respect of Mohammad Shamim, AE (Elect.) has been examined in this Directorate and found that the reckoning of APAR (ACRs) for five year is not in order as per DoPT guidelines.

2. As per provision in DoPT OM No. 22011/4/2013-Estt. (D) dated 08/5/2017 that :

"The APARs for five years preceding T_2nd year may be taken as reckoning APARs, i.e. for the vacancy year 2019 (January 2019 to December, 2019), the reckoning APARs shall be 2016-17, 2015-16, 2014-15, 2013-14 and 2012-13."

3. In view of the above, the same is returned in original and requested to re-examine the aforesaid case in light of DoPT guidelines and send to this Directorate for further necessary action.

Encl : As above.

Yours faithfully,

(Rina Panja)
Section Officer

81
4

कर्मचारी प्रमुख अति
लो. नि. वि., नई दिल्ली

सं. 27(37)/अ. (लो. नि. वि.) 3145 दिनांक 17/8/22

उपलिपिड अपर महानिदेशक (परिचालन), लो. नि. वि.,
नई दिल्ली को आवश्यक कर्मचारी हेतु

म. उ. अ.



दिल्ली सरकार
कार्यालय प्रमुख अभियंता, लो0नि0वि0
12वांतल, बहु-मंजिला भवन, इन्द्रप्रस्थ संपदा, नई दिल्ली-110002
☎ 23724561, 23317520, फैक्स 23766924
Toll Free Complaint No. 1800 11 0093
Website: <http://pwd.delhigovt.nic.in>
E-mail- einc-pwd@delhi.gov.in



सं0:27(37)/प्र0अभि0/लो.नि.वि/2022

2937

दिनांक : 27.07.2022

सेवा में,

अनुभाग अधिकारी,
ईसी-3 बी, अनुभाग, महानिदेशालय,
के.लो.नि.वि. निर्माण भवन,
नई दिल्ली।

विषय:- सहायक अभियंता को एम.ए.सी.पी का लाभ प्रदान करने के संबंध में।

संदर्भ:- महानिदेशालय, एस एंड डी अनुभाग के.लो.नि.वि, निर्माण भवन, नई दिल्ली के का.ज्ञा.
सं0 55/4/2020-S&D/08 दिनांक 07.01.2021।

उपरोक्त विषय पर संदर्भित पत्र के संबंध में इस कार्यालय में प्राप्त श्री मोहम्मद शमीम, सहायक अभियंता (वै0), को दिनांक 10.06.2022 को मुख्य अभियंता (पूर्व) की अध्यक्षता में Screening Committee की बैठक में एम.ए.सी.पी प्रदान करने हेतु उपयुक्त पाया गया है। Screening Committee की सिफारिशों के साथ मामला निम्नलिखित दस्तावेजों सहित आपको मूल रूप में आवश्यक कार्यवाही हेतु प्रेषित किया जाता है।

1. Original checklist
2. APAR Gist
3. VCC of the Officials issue from CPWD as well as PWD.

यह पत्र प्रमुख अभियंता महोदय की अनुमति से जारी किया जाता है।

संलग्न:-उपरोक्तानुसार

[Signature]
28/7

सहायक प्रशासनिक अधिकारी

प्रतिलिपि:-

1. अपर महानिदेशक (परियोजनाएँ) लोनिवि. नई दिल्ली को उनके पत्रांक 15(पी.एफ.)/ई-1/अप.महा.निदेशक(परि0)/लो.नि.वि/1004 हि0 दिनांक 19.07.2022 के संदर्भ में सूचनार्थ।

सहायक प्रशासनिक अधिकारी

महानिदेशालय, के.लो.नि.वि. 2305-01
ई.सी.-III अनुभाग
e-Office No. E 2084549
Date. 29/07/2022

O/o ADG (Projects)

PUBLIC WORKS DEPARTMENT
Modified Assured Career Progression Scheme

Check-list for grant of 2nd MACP to the employee under the Modified ACP Scheme as per DOPT's OM No. 35034/3/2008-Estt.(D) dated 19/05/2009

Check-list for grant of 2 nd MACP to the employee under the Modified ACP Scheme as per D.O. No. 11001/2017															
S. No	Name of the Govt. Servant (Block Letters) PIMS ID.	Date of Birth	Date of Apptt. In the Deptt. And the post in which initially appointed.	Grade pay in the present post	Details of promotion/ grant of 1 st ACP Order No. & date (Under Previous ACP Scheme – as on 31.8.2008 & Grade Pay)		Details of strike period / dies-non period	Date of completion of 20 years in regular service	Actual due date for grant of 2 nd MACP (if differs, details therefore i.e. penalty/dies-non et.)	Grade pay admissible after 20 years	Complete ACR Dossiers for the last five years			VCC	Remarks
					APAR Grading	Rate					Score				
											Between 8-10	Outstanding	9		
											Between 6-8	Very Good	7		
											Between 4-6	Good	5		
											Below 4	----	0		
											* Benchmark – upto 24-07-2016 is 1. Good upto G.P.- of Rs. 6600/- in PB-3 2. Very Good upto G.P.- of Rs. 7600 and above NOTE- Very Good for all posts w.e.f. 25-07-2016				
1	2	3	4	5	6	7	8	9	10	11	12			13	14
					1 st ACP	Promotion					S. No	Period	Accepting Officer		
1	Mohammad Shamim, A.E(E) (MSH01081967 JEEL011993)	01.08.67	27.01.1993 (F.N.) as JE (E)	L-7, Grade Pay 4600/-	1st ACP granted in the pay scale of Rs. 6,500-200-10,500 w.e.f. 27/01/2005 (Ref. P-24 S/B Vol. I)	Promoted as AE w.e.f. 07.04.2017 (Ref P.No. 53, S/B)	NIL	26.01.2013 A.N.	27.01.2013 F.N.	L-8 Grade Pay 4800/-	08-09	01.04.08 to 31.03.09	V. Good	VCC received from DG, CPWD vide letter no. 19/2/2020/EC-IIIIB Dated. 08.04.22 and PWD, Delhi vide letter no. 10(41)/PWD-I/Vig.Cir./2017/Vol.VIII/4382 Dated. 09.05.22	Property Return ending 2021 Filed
											09-10	01.04.09 to 31.03.10	9		
											10-11	01.04.10 to 31.03.11	9		
											11-12	01.04.11 to 12.01.12	9		
												13.01.12 to 31.03.12	Certificate		
											12-13	01.04.12 to 15.01.13	9		
												16.01.13 to 31.03.13	Certificate		

Recommendation of Internal Screening Committee- 2nd MACP is due to official in Level-8 w.e.f. 27/01/2013 F.N. The benchmark for promotion is "good". The official fulfils the benchmark during the APAR of last five years i.e. 08-09, 09-10, 10-11, 11-12 & 12-13.

The above details have been checked & found correct from Service Records.

2nd MACP may be granted.

[Signature]
Nand Lal
Asstt. Admn. Officers
O/o ADG (Projects)

[Signature]
MEMBER SECRETARY
Sh. Mukesh Kumar
Superintending Engineer (Civil)

[Signature]
10/06/2022
MEMBER
Sh. M.K. Mallick
Superintending Engineer (E)
Health Electrical Circle

[Signature]
10/06/2022
CHAIRPERSON
Sh. M.K. Mallick
CE (Projects)

परियोजना प्रबन्धक
उच्च शिक्षा परियोजनाएँ, लो० नि० वि०,
लाला लाजपत राय मार्ग,
(नजदीक के० वि० एंजियरिंग गंज)
लाजपत नगर-4, नई दिल्ली-110002

Superintending Engineer (E)
Health Electrical Circle
PWD, 2nd Floor, MSO Building
New Delhi-110002

मुख्य अभियंता (परियोजनाएँ)
परियोजना अंचल
लोक निर्माण विभाग, दिल्ली सरकार
प्रथम तल, एम. एस. ओ. भवन
नई दिल्ली-110002

CONFIDENTIAL

Govt. of National Capital Territory of Delhi
{DIRECTORATE OF VIGILANCE}
LEVEL-4; C-WING; DELHI SEC RETARIAT; NEW DELHI-110002
(Phone No. 23392257/233923 03 & Fax No. 23392354/23392353)

No.F.99/ 3 /2022/ DOV/ 4231

Dated: 19.4.22

To

The Assistant Housing Commissioner (Vig./PWD)
Government of NCT of Delhi,
Public Works Department, Vigilance Branch,
MSO Building, 3rd Floor,
IP Estate, New Delhi-110002

Sub:- Vigilance status in r/o Assistant Engineer (Elect.) / Assistant Architect, for the purpose of MACP / Foreign visit to UAE for the period 04.06.2022 to 12.06.2022 - reg.

Sir,

I am directed to refer to letter(s) from your department as mentioned against each name of the officers on the subject cited above and to convey the Vigilance status in respect of the officer (s), as under, which is as per records of DOV. However, the same may also be checked from their service record.

Sl. No.	Name & Designation (Ms./Smt./Sh./Dr.)	Letter No. & Dated	Vigilance Status
01.	Mohammad Shamim, Assistant Engineer (Elect.), (DOB:01.08.1967)	F.No.10(41)/PWD-I/ Vig.Clr./2017/Vol.-VIII/ 3490 dated 12.04.2022	As per available record, as on date no vigilance case is pending or contemplated against the officer.
02.	Nand Lal Gupta, Assistant Engineer (Elect.), (DOB:31.12.1966)	No.F.10(41)/PWD-I/ Vig.Clr./2017/Vol.-VIII/ 3490 dated 12.04.2022	As per available record, as on date no vigilance case is pending or contemplated against the officer.
03.	Mohammad Tariq Umar, Assistant Architect, (DOB: 24.08.1990)	F.No.10(41)/PWD-I/ Vig.Clr./2017/Vol.-VIII/ 3591 dated 13.04.2022	As per available record, as on date no vigilance case is pending or contemplated against the officer.

Similar vigilance report may also be obtained from the concerned Department/CPWD.

This issues with the approval of the Competent Authority.

Yours faithfully,

Asstt. Director (Vig.)

"TO COMBAT COVID-19 WEAR MASK, WASH HAND, FOLLOW SOCIAL DISTANCING"

No. 3/G-II/(04)/(09)/2022-VS.II
Government of India



Office of JS & CVO
Vigilance Unit, CPWD
Nirman Bhawan, New Delhi-110011

Dated: 07/4/22

Subject: Vigilance Status in respect of 04 AE's(C&E) for the purpose of MACP.

Please refer to your correspondence No. 19/2/2022/EC-III(B) dated- 06/04/2022 on the subject mentioned above.

2. In so far as Vigilance Unit is concerned, the vigilance status in respect of 04 AE's(C&E) is as under:

S. No	Name(S/Shri/Smt.)	D.O.B	Post Held	Due date of MACP.	Status As on due date For MACP.	Present Vigilance Status.
1.	TOMY JOSEPH TOM25051966JECI011990	25.05.1966	AE(C)	12.01.2012	No Vigilance Case/Complaint was pending.	No Vigilance Case/Complaint is pending.
2.	SAMAR KUMAR DUTTA SKD03011967JEEL011990	03.01.1967	AE(E)	19.01.2020	No Vigilance Case/Complaint was pending.	No Vigilance Case/Complaint is pending.
3.	MOHAMMAD SHAMIM MSH01081967JEEL011993	01.08.1967	AE(E)	27.01.2013	No Vigilance Case/Complaint was pending.	No Vigilance Case/Complaint is pending.
4.	VIJAI PRATAP SRIVASTAVA VPS26061968JEEL031989	26.06.1968	AE(E)	30.03.2019	No Vigilance Case/Complaint was pending.	No Vigilance Case/Complaint is pending.

To,

Section Officer
EC.III (B), CPWD

(S.K. Rai)
Executive Engineer (HQ)

महानिदेशालय, के.लो.नि.वि.

ई.सी.-III अनुभाग

e-Office No. 2001181

Date.....08/04/22

**Gist of APAR of Mohammad Shamim, A.E(E) o/o ADG(Projects) PWD,
MSO Building, New Delhi**

S. No	Period	Grading
1	01.04.08 to 31.03.09	V.Good
2	01.04.09 to 31.03.10	9
3	01.04.10 to 31.03.11	9
4	01.04.11 to 12.01.12 13.01.12 to 31.03.12	9 Certificate
5	01.04.12 to 15.01.13 16.01.13 to 31.03.13	9 Certificate



**Assistant Administrative Officer
o/o ADG (Projects)
PWD Delhi**