

कार्यालय मुख्य अभियंता OFFICE OF CHIEF ENGINEER उत्तरी अंचल(एम.) लोक निर्माण विभाग, North Zone (M), PWD, GNCTD, दिल्ली सरकार, पाँचवा तल,एम.एस.ओ. भवन, 5th Floor, M.S.O. Building, इन्द्रप्रस्थ एस्टेट, नईदिल्ली-110002 I.P. Estate, New Delhi -110002



Ph.:011-23325022,23319952

email:cepwddelhimzm3@gmail.com

No. 12(MACP/लोविवविव) मुवअव उत्तर/ई-1/ 2482-1

Dated: 24/07/2025

सेवा में.

प्रमुख अभियंता लो०नि०वि०, 12वां तल, एम०एस०ओ० भवन, नई दिल्ली जिल्ला

चिषयः सतुर्कृता सफाई प्रमाण−पत्र जारी करने के सम्बन्ध में। नाई चिल्ली-110002

उपरोक्त विषय के संबंध में इस अंचल कार्यालय के अंतर्गत अधीक्षण अभियंता, उत्तर परिमंडल, लो.नि.वि. में कार्यरत श्री राजीव पासी, सहायक अभियंता (यो०) के तृतीय एम.ए.सी.पी. मामले के निपटान हेतु दिल्ली सरकार द्वारा सतर्कता सफाई प्रमाण पत्र जारी करवाने हेतु निर्धारित प्रपत्र भरकर इस पत्र के साथ संलग्न कर आपके कार्यालय में आवश्यक कार्यवाही हेतु प्रेषित है।

यह पत्र मुख्य अभियंता (उत्तर) की अनुमित से जारी किया जाता है।

VCC हेत् निर्धारित प्रपत्र संलग्न:-- 1.

> **Property Statement** 2.

सहायक प्रशासिक अधिकारी उत्तरी अंचल, लो०नि०वि०

प्रतिलिपि:-1. अधीक्षण अभियंता, परिमंडल उत्तर, लो.नि.वि., नई दिल्ली को उनके कार्यालय के पत्र सं. 7(1) / उत्तर अनु. परि. / लो.नि.वि. / ई-1 / 2025-26 / 1265 दिनांक 15.07.2025 के संबंध में सूचनार्थ प्रेषित है।

सहायक प्रशासनिक अधिकारी

प्रमुख अभियन्ता

आवती सं. H-4564

दिनांक -

प्रमुख अभियन्ता

िनिदेशक (कार्मिक) **विन्या**

निदेशक (अनु.)

निदेशक (कार्य)

उप सतर्कता अधिकारी उप निदेशक (कार्य/कार्निक/अन्./जन सूचना)

कार्मात्य प्रमुख आमेर्यता लो॰ हो॰ ति॰ , नई दिल्ली

संह व्याप्त) प्रव आर्थित क्रिनीवित 2025 | 5690

Baller : 2 80. 07. 2025

पन दील क्रेंग में मुख्य अभिमंता उत्तरी अंचल (एम) पाँचवा तन को इस अद्या के सावा लीरामा जाता है आवीकारी के पन को सावा क्लेंग्रिस शिफामी को कॉलम संग् ०५ में जी बिकामत लिख्नित हैं से इस पहा के सावा संलाभ कर इस कामीला की विवित करें।

Beldet 29/1/2018

सहायक प्रशासनिक अधिकारी कार्यालय प्रमुख अभियंता लो० नि० वि०, दिल्ली सरकार 12वां तल, पुलिस मुख्यालय नई दिल्ली-110002

0(0

GOVERNMENT OF NCT OF DELHI PWD SECRETARIAT: VIGILANCE BRANCH

MSO Building, 3rd Floor, IP Estate, NEW DELHI-110002

PWDS-B011/1/2025-Dy.Secy(Building)-PWD SECTT. I/100304/2025 Dated 24-07-2025 No.:

To.

The Engineer-in-Chief, Public Works Department. 12th Floor, MSO Building,

I.P. Estate, New Delhi-110002.

Sub: Vigilance Status in r/o officers posted in PWD, GNCTD - reg.

Sir.

Please find enclosed herewith Vigilance Status Report received from Assistant Director (Vig.), Directorate of Vigilance, GNCTD vide letter No. F.99/7/2025/DOV/I/8485 dated 18.07.2025 (copy enclosed) in respect of following officer(s) for the purpose as mentioned against their name:

Name & Designation Purpose SI. No. (Ms./Smt./Sh. Sh. Amit Kumar, Renewal of Passport Assistant Engineer (Civil), 1. D.O.B.: 02.04.1986, Sh. Ramkesh Poswal, Retirement on 31.07.2025 2. Assistant Engineer (Civil), D.O.B.: 07.07.1965 Sh. Pawan Kumar, M.A.C.P. Executive Engineer (Civil). 3. D.O.B.: 03.10.1969 Sh. Sharad Singh Chauhan Executive Engineer (C) 56J 4. D.O.B.: 10.08.1966 Sh. Lokendra Singh 56J Executive Engineer (C) 5. D.O.B.: 04.07.1967 Sh. Arvind Kumar 56J 6. Executive Engineer (C) D.O.B.: 13.09.1966 Sh. Dinesh Kumar 56J Assist. Engineer (C) 7. D.O.B.: 05.07.1975 Sh. Lalit Kumar Singh Assist. Engineer (C) 56J 8. D.O.B.: 25.01.1972

प्रमुख अभियन्ता

दिनांक 24

निदेशक (अनु.)

निदेशक (कार

प्रमुख अभिय

आवती सं.7258

निदेशक (कार्मिक)का

pending

contemplated

काञीला प्रमुख सामियांता लो० निरुषिक, मई यिल्पी

27(40) | प्राञ्चाली लोगनिगरिग २०25/5626

Railon; 29.07.2025

पत्त की व्यामापारी मुख्न आर्थमंता (पूर्व , रूवारूवम , धलाईमोवर) तवा प्रवादा मुख्य आर्थमंता (परियोजनाए) को आवश्यक आर्थमं कार्यवाही हेत प्रेपित

> सहायक प्रशासनिक अधिकारी कार्यालय प्रगुख अभियंता लो० नि० वि०, दिल्ली सरकार 12यां सल, पुलिस मुख्यालय नई दिल्ली-110002

> > olc

9.	Sh. Makhan Lal Meena Assist. Engineer (C) D.O.B.: 05.07.1976	2nd MACP
10.	Sh. Manoj Kumar Maurya Assist. Engineer (C) D.O.B.: 14.07.1978	2nd MACP
(11.	Sh. Vijay Bahadur Singh Assist. Engineer (E) D.O.B.: 25.08.1965	Retirement on 31.08.2025
12.	Sh. Sarnam Singh Yadav Assist. Engineer (C) D.O.B.: 05.04.1974	2nd MACP

However, the same may also be checked from their service record and the similar Vigilance Report may also be obtained from CVO. CPWD. Nirman Bhawan, New Delhi.

Encl: As above.

Yours sincerely.

(LALITA SHRAMA) AHC (Vig./PWD)

CONTIDENTA

was charge sheeted u/r 14 of

CCS (CCA) Rules, 1965, vide

E-1664783

Govt. of National Capital Territory of Delhi {DIRECTORATE OF VIGILANCE}

LEVEL-4; C-WING; DELHI SECRETARIAT; NEW DELHI-110002 (Phone No. 23392257/23392303 & Fax No. 23392354/23392353)

No.F.99/7/2025/DOV/I/8485

S Name & Designation

Dated: 18/07/2025

The AHC (Vig./PWD)
Government of NCT of Delhi,
Public Works Department: Vigilance Branch,
3rd Floor, MSO Building

3rd Floor, MSO Building, IP Estate, New Delhi-110002

Sub: <u>Vigilance status in r/o Asstt. Engineer (Civil) / Executive Engineer /. Asstt. Engineer (E) - reg.</u>

Sir,

I am directed to refer to letter(s) from your department as mentioned against each name of the officers on the subject cited above and to convey the Vigilance status in respect of the officer(s), as under, which is as per records of DOV. However, the same may also be checked from their service record.

	S. No.	Name & Designation (Ms./Sm./Sh.)	Letter No. & Dated	Purpose	Vigilance Status
	01.	Amit Kumar, Asstt. Engineer (Civil) (DOB 02.04.1986)	F.No.10 (150)/ PWD-I / Vig.Clr./ 2024/7451 dated: 01.07.2025.	Renewal of Passport.	As per available record, as on date no vigilance case is pending or contemplated against the officer.
	02.	Ramkesh Poswal, Assistant Engineer (Civil) (DOB: 07.07.1965).	F.No.10 (150)/ PWD-I / Vig.Clr./ 2024/7451 dated: 01.07.2025.		As per available record, as on date no vigilance case is pending or contemplated against the officer.
	03.	Pawan Kumar, Executive Engineer (Civil) (DOB : 03.10.1969).	F.No.10 (150)/ PWD-I / Vig.Clr./ 2024/7451 dated: 01.07.2025.	MACP	As per available record, as on date no vigilance case is pending or contemplated against the officer.
	04.	Sharad Singh Chauhan, Executive Engineer (Civil) (DOB: 10.08.1966).	F.No.10 (150)/ PWD-I / Vig.Clr./ 2024/7305 dated: 27.06.2025.	56J	As per available record, as on date no vigilance case is pending or contemplated against the officer.
	05	Lokendra Singh, Executive Engineer (Civil) (DOB: 04.07.1967).	F.No.10 (150)/ PWD-I / Vig.Clr./ 2024/7305 dated: 27.06.2025.	56J	As per available record, as on date no vigilance case is pending or contemplated against the officer.
	06	Arvind Kumar, Executive Engineer (Civil) (DOB: 13.09.1966).	F.No.10 (150)/ PWD-I / Vig.Clr./ 2024/7305 dated: 27.06.2025.	56J	As per available record, as on date no vigilance case is pending or contemplated against the officer.
	07	Dinesh Kumar, Asstt. Engineer (Civil) (DOB: 05.07.1975).	F.No.10 (150)/ PWD-I / Vig.Clr./ 2024/7305 dated: 27.06.2025.	56J	As per available record, as on date no vigilance case is pending or contemplated against the officer.
	08	Lalit Kumar Singh, Asstt. Engineer (Civil) (DOB : 25.01.1972).	F.No.10 (150)/ PWD-I / Vig.Clr./ 2024/7305 dated: 27.06.2025.	56J	As per available record, as on date no vigilance case is pending or contemplated against the officer.
	0,9	Makhan Lal Meena, Asstt. Engineer (Civil) (DOB:	F.No.10 (150)/ PWD-I / Vig.Clr./ 2024/7155 dated:	2 nd MACP	As per information/order provided by P.W.D., Sh. Makhan Lal Meena, AE(Civil)

23.06.2025.

05.07.1976).

ANY.

1					OM No.10/V-23/(A-138) /2017- VS.I dated 23.12.2020.
			,		A decision has been taken by DG, CPWD, Gol, Vigilance Unit vide letter No.1/7/D-II/2021-VS.II dated 31.05.2023 was imposed the penalty of "reduction to a lower stage in the time scale of pay by two (2) stages for a period of one (1) year with further direction that he will earn increment of pay during the period of such reduction and, on the expiry of such period, the reduction will not have the effect of postponing the future increment of pay" upon Sh.Makhan Lal Meena, AE(Civil), CPWD.
					The penalty period of one year i.e. from 31.05.2023 to 30.05.2024 has been completed and pay restored w.e.f. 31.05.2024 vide office order No.8(2)/E-1/South East (M)/2024-25/1580 dated 05.07.2024.
	10	Manoj Kumar Maurya, Asstt. Engineer (Civil) (DOB: 14.07.1978).	F.No.10 (150)/ PWD-I / Vig.Clr./ 2024/7155 dated: 23.06.2025.	2 nd MACP	Sh. Manoj Kumar Maurya, AE(C) was charge sheeted u/r 14 of CCS (CCA) Rules, 1965, vide OM No.10/V-42/(A-95)/2018-VS.I dated 04.08.2020.
					DG, CPWD, GoI, Vigilance Unit. vide Order No.1/19/D-1/2020-VS.II/28 dated 04.05.2023 was imposed the penalty of "reduction to a lower stage in the time scale of pay by one (1) stages for a period of two (2) year with further direction that he will earn increments of pay during the period of such reduction and, on the expiry of such period, the reduction will not have the effect of postponing the future increment of pay" upon Sh. Manoj Kumar Maurya, AE(Civil), CPWD.
	11	Vijay Bahadur Singh, Asstt. Engineer (E) (DOB: 25.08.1965).	F.No.10 (150)/ PWD-I / Vig.Clr./ 2024/7155 dated: 23.06.2025.	Retirement on 31.08.2025.	As per available record, as on date no vigilance case is pending or contemplated against the officer.
	12	Sarnam Singh Yadav, Asstt. Engineer (C) (DOB: 05.04.1974).	F.No.10 (150)/ PWD-I / Vig.Clr./ 2024/7155 dated: 23.06.2025.	2 nd MACP	Sh. Sarnam Singh Yadav, AE (Civil) was charge sheeted u/r 14 of CCS (CCA) Rules, 1965, vide OM No.10/V-6/(B-51)/2014-VS.I dated 04.08.2017. DG, CPWD, Gol, vide Order No.1/55/D-II/2016-VS.II/28 dated 08.10.2017 was imposed the penalty of "reduction to a lower stage in the time scale of pay by one (1) stages for a period of three (3) year, without cummulative effect and not adversely affecting his pension" upon Sh.Sarnam Singh Yadav, JE(Civil), CPWD.

	Further, he was exonerated from the charges vide MHA, Gol order no.2/6/DII/ 2017-VSII/AVII dated 20.09.2019.

Similar vigilance report may also be obtained from the concerned Department/CPWD. This issues with the approval of competent Authority.

Yours faithfully,

(Buniyad Singh) Dy. Director (Vig.)