



दिल्ली सरकार
कार्यालय प्रमुख अभियंता, लो0नि0वि0,
12वां तल, बहु-मंजिला भवन, इंदिराप्रस्थ संपदा, नई दिल्ली: 110002
☎ 23490260, 23724560, 23311293 फैक्स 23319021
Toll Free Complaint No. 1908
वेबसाइट: <http://pwd.delhigovt.nic.in>
ई-मेल: einc-pwd@delhi.gov.in



सं0: No. 27(Misc.)/E-in-C/PWD/E-I/2025/ 6442

Dated: 19.08.2025

OFFICE MEMORANDUM

Sub: Compliance of Rule 20 of the CCS (Conduct) Rules, 1964 - regarding.

1. Attention of all EE/AE/JE officers is drawn to Rule 20 of the CCS (Conduct) Rules, 1964 which provides that "No Government servant shall bring or attempt to bring any political or other outside influence to bear upon any superior authority to further his interests in respect of matters pertaining to his service under Government."
2. Recently, some instances have come to notice where service officers have violated the above mentioned provisions and attempted to bring political and other outside influence to further their interests in respect of service matters, especially regarding their transfer/postings .
3. All EE/AE/JE officers are hereby advised to refrain from any such practice and not to bring or attempt to bring any political or outside influence directly or through their relatives/wards in respect of the matters pertaining to their service under the Government. In case of any violation, strict disciplinary action would be initiated against the concerned officer(s). In case of any grievance relating to service matter, they may represent/approach Controlling Officer or appropriate authority as deemed fit.
4. This issues with the approval of Engineer-in-Chief, PWD.

Asst. Admn. Officer

To:

1. PS to ACS, PWD Secretariat, GNCTD.
- 2-3. ADG(M&F) & ADG(Projects), PWD
- 4-10. All CEs, PWD for further dissemination to SEs, EEs, AEs and JEs under their jurisdiction
11. PWD website

Asst. Admn. Officer