



दिल्ली सरकार
प्रमुख अभियंता, लो०नि०वि०,
12वां तल, बहु-मंजिला भवन, इंद्रप्रस्थ संपदा, नई दिल्ली: 110002
☎ 23490093, फैक्स 23766924



Toll Free Complaint No. 1800 11 0093

वेबसाइट: <http://pwd.delhigovt.nic.in>

ई-मेल: dirw-pwd@delhi.gov.in

No.E-in-C/PWD/Works/00./2025/ 1963

Dated: 1 .09.2025

OFFICE MEMORANDUM.

Subject:- Use of Polymer Modified Bitumen in place of Normal Viscosity Grade Bitumen in Public Works Department, GNCTD.

With reference to above subject, the competent authority has observed that Polymer Modified Bitumen provides enhanced road durability, better adaptability to diverse climate, longer life cycle, reduced maintenance cost and improved road safety, hence, it has been decided that in all future works which include road work, Polymer Modified Bitumen should be used in place of Normal Viscosity Grade Bitumen.

This issues with the approval of Engineer-in-Chief, PWD, GNCTD.

To,

1. PS to Engineer-in-Chief, PWD GNCTD, 12th Floor, MSO Building, New Delhi-110002 for kind information please.
2. The Pr. Chief Engineer (M&F), PWD, GNCTD 12th Floor MSO Building IP Estate, new Delhi-110002.
3. The Pr. Chief Engineer (Projects), PWD, GNCTD 9th Floor MSO Building IP Estate, new Delhi-110002.
4. ✓ PWD Website.

Handwritten signature and date:
01/09/2025

**Dy. Director (Works)-II
PWD, GNCTD**