

AD(V)-III

4
02/09/2025

मिसिल सं. 11/1/2025/W-II/DG/Vol-VII/92(18)

Confidential

भारत सरकार

महानिदेशालय

केंद्रीय लोक निर्माण विभाग

email: ee2pwacpwd@gmail.com

निर्माण भवन, नई दिल्ली

दिनांक: 13, अगस्त, 2025

सेवा में,

अपर महानिदेशक (दिल्ली), केंद्रीय लोक निर्माण विभाग, 216, ए-विंग, निर्माण भवन, नई दिल्ली-110011	प्रमुख अभियंता, लोक निर्माण विभाग, 12वीं मंजिल, एमएसओ बिल्डिंग, नई दिल्ली- 110002
अपर महानिदेशक (लखनऊ), केंद्रीय लोक निर्माण विभाग, चौथी मंजिल, केंद्रीय भवन, सेक्टर-एच, अलीगंज, लखनऊ-226024	विशेष महानिदेशक(चंडीगढ़), केंद्रीय लोक निर्माण विभाग, कक्ष संख्या 101, प्रथम तल, केंद्रीय सदन, सेक्टर-9ए, चंडीगढ़-160009
विशेष महानिदेशक (कोलकाता), केंद्रीय लोक निर्माण विभाग, प्रथम एमएसओ भवन, पाँचवीं मंजिल, निजाम पैलेस 234/4, ए.जे.सी. बोस रोड, कोलकाता- 700020	विशेष महानिदेशक (मुंबई), केंद्रीय लोक निर्माण विभाग, 16वीं मंजिल, प्रतिष्ठा भवन, 101, एम.के. रोड, मुंबई-400020
विशेष महानिदेशक (चेन्नई), केंद्रीय लोक निर्माण विभाग, प्रथम तल, 'जी' विंग, राजाजी भवन, III एवेन्यू, बेसेंट नगर, चेन्नई-600090	अतिरिक्त महानिदेशक (गुवाहाटी), केंद्रीय लोक निर्माण विभाग, कार्यालय परिसर, प्रथम तल, गरचुक, गुवाहाटी-781035
अपर महानिदेशक (हैदराबाद), केंद्रीय लोक निर्माण विभाग, द्वितीय तल, निर्माण भवन, सुल्तान बाजार, कोटि, हैदराबाद-500001	मुख्य अभियंता, गाजियाबाद, केंद्रीय लोक निर्माण विभाग, सीजीओ-1, हापुड चुंगी, गाजियाबाद (यूपी)-245101

प्रमुख अभियंता

आपत्ती सं.

रजि.

संख्या

दिनांक

हस्ताक्षर

महानिदेशक

महानिदेशक

H-5317
29/08/2529/8
वि.

29/8

विषय : Complaint received through Vigilance Unit, CPWD.

I am directed to enclose herewith a copy of the following complaints received through EE(HQ), Vigilance Unit, CPWD on the subject indicated at Col.3.

S.N. (1)	Complaints received vide letter No (2)	Subject (3)	Action taken (4)
1.	1/46/Misc- 2/Others/2015- VS.I/2372 dtd.21.07.2025	PAWD-3(CPWD) में हो रहे भ्रष्टाचार की जाँच हेतु अनुरोध। ✓	The matter pertains to ADG(Delhi) & E-in-C (PWD) therefore, we have forwarded a copy of complaint via e-mail for n/a.
2.	1/46/Misc- 2/Others/2015- VS.I/2293 dtd.11.07.2025	Quarter No. 184, RK Puram Sector 7.	The matter pertains to ADG(Delhi) therefore, we have forwarded a copy of complaint via e-mail for n/a.
3.	1/46/Misc- 2/Others/2015- VS.I/2364 dtd.21.07.2025	Managed makes of tender of ITC of Outdoor LED Display with minimum size of (12X7) feet with necessary installation at Lakshmi Bhai college, Ashok vihar, New Delhi. External Inbox. ADG(P)	-do-
4.	1/46/Misc- 2/Others/2015- VS.I/2366 dtd.21.07.2025	Your tender of CCTV for New Medical Block. ADG(P)	-do-
5.	1/46/Misc- 2/Others/2015- VS.I/2367 dtd.21.07.2025	Renovation of Washrooms in Ground & First Floor for World Para Athletics Championship, 2025 in main arena at the JLN Stadium complex, New Delhi (SH: Civil & Electrical Works)	-do-

6.	1/46/Misc-2/Others/2015-VS.I/2369 dtd.21.07.2025	Up-keeping and providing management services for caretaking, housekeeping, safety & security of articles in Guest Houses (Comprising of 05 Nos of Suite Rooms, 15 Nos. Transit Hostel Rooms, 18 Nos. Deluxe Rooms in CPWD Guest House in Aliganj, 20 Nos. Deluxe Rooms in Holiday Homes in West Kidwai nagar and all common areas) , Washing/Dry Cleaning of furnishings, Mess facility/ catering etc. New Delhi and CPWD, Guest House for Central Govt. Officers Holiday Home at West Kidwai nagar, New Delhi During 2025-27.	-do-
7.	1/46/Misc-2/Others/2015-VS.I/2370 dtd.21.07.2025	Complaint against NIT NO. 10/2025-26/C-Div/Delhi/3C.	-do-
8.	1/46/Misc-2/Others/2015-VS.I/2447 dtd.25.07.2025	निवेदन यह है की आपके विभाग के 0 लो 0 नि 0 वि 0 में हो रहे कार्यों के बारे में बताना चाहूंगा वैसे तो आये दिन शिकयतें प्राप्त होती होगी।	-do-
9.	1/46/Misc-2/Others/2015-VS.I/2443 dtd.25.07.2025	ERP Go Live किसी भी region में implement नहीं किये जाने के संबंध में।	-do-
10.	1/46/Misc-2/Others/2015-VS.I/2292 dtd.14.07.2025	Request for Investigation into Rs. 4994/- Government Revenue Loss, Interest Paid in account of Delay payment Dated 24.07.2024 and rejection of our claims by O/o Sh. HP Sharma, EE(E), GED, CPWD, Hindan, Ghaziabad. Retiring on 31.08.2025 Against Agreement No.32/EE(E)/HCED/2022.23.	The matter pertains to ADG(Lucknow) therefore, we have forwarded a copy of complaint via e-mail for n/a.
11.	1/46/Misc-2/Others/2015-VS.I/2291 dtd.14.07.2025	Intentionally Harassment by Excess deduction of Security Deposit by O/o E.E.(E), GED, CPWD Hindan Ghaziabad (UP).	-do-
12.	1/46/Misc-2/Others/2015-VS.I/2290 dtd.14.07.2025	Allegations of Power Exploitation by Sh.H.P Sharma, EE(E), GED, CPWD Ghaziabad (UP) regarding wrong account payment to Unknown Firms etc.	-do-


13.	1/46/Misc-2/Others/2015-VS.I/2375 dtd.21.07.2025	Harassment by Mr. Kapil Kumar, AE (CPWD) Faridabad Sub Division-II, Mob: 9871655039 in connection with Topographical Survey for Nilat NCR Biotech Science Cluster, Faridabad.	The matter pertains to SDG(Chandigarh) therefore, we have forwarded a copy of complaint via e-mail for n/a.
14.	1/46/Misc-2/Others/2015-VS.I/2376 dtd.21.07.2025	.Complaint against misuse of authority, favoritism and corruption by Assistant Engineer (E)-II, CPWD Jaipur in connection with connection with contract No.02/AE(E)/JSESD-II/2025-26.	-do-
15.	1/46/Misc-2/Others/2015-VS.I/2445 dtd.25.07.2025	Undue and deliberate delay in releasing payment by CPWD Barmer/ Jasialmer Division.	-do-
16.	1/46/Misc-2/Others/2015-VS.I/2373 dtd.21.07.2025	Complaint against S. Kalyana Sundaram, Rank-LDC, (He has acquired more than 15 Crores of Movable and immovable properties in the name of his family and relatives) Girish C Lohani, Rank, SCSO presently posted at coast Guard Headquarters, Port Blair) and some below mentioned Coast Guard employees for misusing him position and Misguiding Juniors and engaging in Corruption in Recruitment Process and departmental transfers. I hope this letter finds you well. I am writing to formally lodge a complaint regarding what appears to be a corrupt and unfair recruitment process and departmental transfers within Coast Guard Headquarters, Port Blair. I have become aware of certain unethical practices involving favouritism, bribery, and nepotism, which I believe are undermining the integrity of the recruitment process and departmental transfers.	The matter pertains to SDG(Chennai) therefore, we have forwarded a copy of complaint via e-mail for n/a.
17.	1/46/Misc-2/Others/2015-VS.I/2371 dtd.21.07.2025	RTI regarding.	The matter pertains to SDG(PR)Kolkata therefore, we have forwarded a copy of complaint via e-mail for n/a.

18.	1/46/Misc-2/Others/2015-VS.I/2368 dtd.21.07.2025	Manipulated single OEM specific tender for the work of C/O Tool room and training centre (G+3) Building for MSME for i/c internal water supply, sanitary, electrical installation and allied E & M Service at amingaon, Guwahati, SH: Supplying, installation testing and commissioning of stage lighting at auditorium, Amingaon, Guwahati, (Package-2)	The matter pertains to ADG(Guwahati) therefore, we have forwarded a copy of complaint via e-mail for n/a.
19.	1/46/Misc-2/Others/2015-VS.I/2377 dtd.21.07.2025	Request to again lodge our complaint against appeal No. DOURD/C/A/25/0000337 and Complaint No.PRSEC/E/2025/0007205.	The matter pertains to SDG(Mumbai) therefore, we have forwarded a copy of complaint via e-mail for n/a.
20.	1/46/Misc-2/Others/2015-VS.I/2444 dtd.25.07.2025	Letter of Acceptance-CPWD-Rasthrapati Bhawan- Nilayam, Hyderabad.	The matter pertains to ADG(Hyderabad) therefore, we have forwarded a copy of complaint via e-mail for n/a.
21.	1/46/Misc-2/Others/2015-VS.I/2446 dtd.25.07.2025	E-Auction, Complaint regarding manipulative forgery and misconduct in CPWD E-Auctions of site Hindon Air Force (HAF) by Sh. H.P. Sharma, Ex. EE(E), GED, Hindon Air Force, CPWD, Ghaziabad, (UP), Retiring on 31.08.2025.	The matter pertains to CE(Ghaziabad) therefore, we have forwarded a copy of complaint via e-mail for n/a.

It is requested to take necessary action. If any vigilance angle is observed, the matter may be reported to Vigilance Unit, CPWD for necessary action. If lapse is of administrative nature, the same may be investigated and appropriate action may be taken. In case, neither vigilance nor administrative lapse is found, the matter may be decided at your level. In all cases, final action taken report may be submitted to Works Unit of the Directorate.

This issues with the approval of Director (P&WA), CPWD.

संलग्न: उपरोक्तानुसार


 कार्यपालक अभियंता (परि. एवं का. प्रशा.)-II

प्रतिलिपि:-

1. Executive Engineer (HQ), Vigilance Unit, CPWD, Room No.130 A-Wing, Nirman Bhawan, New Delhi.


 कार्यपालक अभियंता (परि. एवं का. प्रशा.)-II

10/09/2025, 11:35

Fwd: Letter No 1./46/Misc-2/Others/2015-VS.I/2443 dtd 25.07.2025. ERP Go Live किसी भी region में implement नहीं किये जाने के संबंध में।

Fwd: Letter No 1./46/Misc-2/Others/2015-VS.I/2443 dtd 25.07.2025. ERP Go Live किसी भी region में implement नहीं किये जाने के संबंध में।

einc-pwd <einc-pwd@delhi.gov.in>

Tue, 26 Aug 2025 5:05:15 PM +0530

To "Director Monitoring PWD"<dirm-pwd@delhi.gov.in>

===== Forwarded message =====

From: EE II P WA <ee2pwacpwd@gmail.com>

To: "E-in-C (PWD)" <einc-pwd@delhi.gov.in>

Date: Tue, 26 Aug 2025 16:57:37 +0530

Subject: Letter No 1./46/Misc-2/Others/2015-VS.I/2443 dtd 25.07.2025. ERP Go Live किसी भी region में implement नहीं किये जाने के संबंध में।

===== Forwarded message =====

कृपया संलग्नक देखें। आपसे अनुरोध है कि उक्त विषय में समुचित कार्यवाही करें।

Regards

**Executive Engineer (P&WA) - II,
Room No. 310-A, O/o DDG (Works)
Central Public Works Department,
Nirman Bhawan, New Delhi - 110011**

1 Attachment(s)

Letter No 2443.pdf

765.2 KB

(Estt.)

ADG(Delhi)
E-2959237

243-4111A
01/07/25

Confidential

No.1/46/Misc-2/Others/2015-VS.1/2443
Government of India
Office of JS & CVO
Vigilance Unit, CPWD
Nirman Bhawan, New Delhi-110011

Date: 25th July, 2025

To

✓ ADG (Works)
CPWD Directorate
A-Wing, Nirman Bhawan
New Delhi - 110011

निर्दे. (पी.एच. डब्ल्यू.ए.)	निर्दे. (पी.एच. एन्ड बी.जी.)
निर्देशक (वित्त)	कार्य.अभि. (साईसंस फीस)
सं.नि. (रा.मा.)	पी.पी.एस.
निजी सचिव (हि.)	

Sub: ERP Go Live किसी भी region में implement नहीं किये जाने के संबंध में।

I am directed to forward the complaint received from Shri Rahul Gupta, Friends Colony East, Mathura Road, Delhi-110065 through letter No. Nil signed dated 16.05.2025, which is self-explanatory.


As the matter in this complaint is of administrative nature, the same is forwarded to your office for necessary action, if any, at your end. During processing the matter, if any Vigilance angle is found, the same may be referred to this office.

It may also be noted that while handling the issues raised in the complaint/ grievance forwarded to your office as above, it must be ensured that the issue is not handled directly by the officer/ official whose name occurs in this complaint/ grievance, if any.

It is also intimated that no action, including confirmation from the complainant, has been taken by this office in this matter.

This issues with the approval of competent authority.

Encl: As above


(S.C. Jain)
Executive Engineer (MIS)

ADG (Works)
Sh. Chandra
200

S.O. (P&WA) I
for m. to S. DDC (ERP)
31.07.25

EE(P&WA)-I
EE(P&WA)-II ✓

L
397

✓ श्री. संजीव सेहगल
JS & CVO
के.लो.नि.वि
A-135, निर्माण भवन
दिल्ली

SE (V)-IV
O/o Chief Vigilance Officer
CPWD, New Delhi
Diary No. 2475
Date 23/6/25

SE(V)-IV, CPWD
Diary No. 2473
Date 24/06/25

श्रीमान, ①
ज्ञात हो कि पिछले छः माह में ERP के Go Live वाले modules को किसी भी region में implement नहीं किया जा रहा है। Module के Live के बाद ERP के अधिकारी एक दूसरे की पीठ थपथपा लेते हैं और टेक महिंद्रा को भुगतान कर देते हैं। Live वाले module को सभी region में implement नहीं करने की वजह स्पष्ट है, के.लो.नि.वि के सभी कर्मचारी/अधिकारी जब किसी module को इस्तेमाल करेंगे तो उसमें कमियां निकलना स्वाभाविक है। इन कमियों के उजागर होने पर उप महानिदेशक, इ.आर.पी को टेक महिंद्रा को पूर्ण भुगतान करने में अर्चन आ सकती है। ②
कॉन्ट्रैक्ट के अनुसार भुगतान से पहले टेक महिंद्रा को के.लो.नि.वि के सभी क्षेत्र में Live वाले module को implement यानी लागू करना अनिवार्य है। कॉन्ट्रैक्ट के इसी प्रावधान के तहत ही के.लो.नि.वि के सभी अधिकारी एवं कर्मचारी ERP के modules का इस्तेमाल करेंगे। परन्तु श्री मनोज कुमार, उप महानिदेशक, इ.आर.पी, इस प्रावधान को नज़रअंदाज कर के टेक महिंद्रा को भुगतान किए जा रहे हैं।
कृपया ये जांच करवाई जाए कि जिन modules की भुगतान की गई है उनको के.लो.नि.वि के कर्मचारी कितना प्रयोग में ला रहे हैं और कॉन्ट्रैक्ट को terms conditions का पालन न करने पर करवाई की जाए।

AE(V) Compl.
Diary No. 1216 (A)
Date 24/6/25

प्रतिलिपि

1. सचिव, MoHUA, निर्माण भवन, दिल्ली।
2. महानिदेशक, के लो नि वि, निर्माण भवन, दिल्ली।

आपका शुभचिंतक

Rahul Gupta
16/6/25
राहुल गुप्ता

[Address on Envelop]

EE (MIS)

24/06/25

AE (Complaint)

ADG (Delhi)
E-2959 237

243-11111
01/07/25

Confidential

No.1/46/Misc-2/Others/2015-VS.1/2443
Government of India
Office of JS & CVO
Vigilance Unit, CPWD
Nirman Bhawan, New Delhi-110011

Date: 25th July. 2025

To

✓ ADG (Works)
CPWD Directorate
A-Wing, Nirman Bhawan
New Delhi - 110011

निदे. (पी.एच. डब्ल्यू.ए.)	निदे. (पी.एच. एच. पी.जी.)
निदेशक (वित्त)	कार्य.अभि. (नॉर्डसंस फीस)
सं.नि. (रा.मा.)	पी.पी.एस.
निजी सचिव (हि.)	

Sub: ERP Go Live किसी भी region में **implement** नहीं किये जाने के संबंध में।

I am directed to forward the complaint received from Shri Rahul Gupta, Friends Colony East, Mathura Road, Delhi-110065 through letter No. Nil signed dated 16.05.2025, which is self-explanatory.

As the matter in this complaint is of administrative nature, the same is forwarded to your office for necessary action, if any, at your end. During processing the matter, if any Vigilance angle is found, the same may be referred to this office.

It may also be noted that while handling the issues raised in the complaint/ grievance forwarded to your office as above, it must be ensured that the issue is not handled directly by the officer/ official whose name occurs in this complaint/ grievance, if any.

It is also intimated that no action, including confirmation from the complainant, has been taken by this office in this matter.

This issues with the approval of competent authority.

Encl: As above

(S.C. Jain)

Executive Engineer (MIS)

DDG (W)

Sh. Shrivastava
ADG (Works)

S.O. (P&WA) I
for m. to G. DDG (ERP)
31.07.25

EE(P&WA)-I
EE(P&WA)-II ✓

L 397

श्री. संजीव सेहगल
JS & CVO
के.लो.नि.वि
A-135, निर्माण भवन
दिल्ली

SE (V)-IV
O/o Chief Vigilance Officer
CPWD, New Delhi
Diary No. 2473
Date 23/6/25

SE(V)-IV, CPWD
Diary No. 2473
Date 24/06/25

श्रीमान, ①

ज्ञात हो कि पिछले छः माह में ERP के Go Live वाले modules को किसी भी region में implement नहीं किया जा रहा है। Module के Live के बाद ERP के अधिकारी एक दूसरे की पीठ थपथपा लेते हैं और टेक महिंद्रा को भुगतान कर देते हैं। Live वाले module को सभी region में implement नहीं करने की वजह स्पष्ट है, के.लो.नि.वि के सभी कर्मचारी/अधिकारी जब किसी module को इस्तेमाल करेंगे तो उसमें कमियां निकलना स्वाभाविक है। इन कमियों के उजागर होने पर उप महानिदेशक, इ.आर.पी को टेक महिंद्रा को पूर्ण भुगतान करने में अर्चन आ सकती है। ②

③ कॉन्ट्रैक्ट के अनुसार भुगतान से पहले टेक महिंद्रा को के.लो.नि.वि के सभी क्षेत्र में Live वाले module को implement यानी लागू करना अनिवार्य है। कॉन्ट्रैक्ट के इसी प्रावधान के तहत ही के.लो.नि.वि के सभी अधिकारी एवं कर्मचारी ERP के modules का इस्तेमाल करेंगे। परन्तु श्री मनोज कुमार, उप महानिदेशक, इ.आर.पी, इस प्रावधान को नजरअंदाज कर के टेक महिंद्रा को भुगतान किए जा रहे हैं। कृपया ये जांच करवाई जाए कि जिन modules की भुगतान की गई है उनको के.लो.नि.वि के कर्मचारी कितना प्रयोग में ला रहे हैं और कॉन्ट्रैक्ट को terms conditions का पालन न करने पर करवाई की जाए।

AE(V) Compl.
Diary No. 1216(A)
Date 24/6/25

आपका शुभचिंतक

Rahul Gupta
16/5/25
राहुल गुप्ता

[Address on Envelop]

प्रतिलिपि

1. सचिव, MoHUA, निर्माण भवन, दिल्ली।
2. महानिदेशक, के लो नि वि, निर्माण भवन, दिल्ली।

EE (MIS)

24/06/25

AE (Complaint)

24/6/25

कार्यालय प्रमुख अभियंता
लो० नि० वि०, नई दिल्ली

सं० 27(ERP)/प्र०अभि०/लो.नि.वि./ 7859

दिनांक 28/10/25

प्रतिलिपि सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित:-

1. प्रधान मुख्य अभियंता (परियोजनाएं), लोनिवि, 9वां तल, एम.एस.ओ. भवन, नई दिल्ली।
2. प्रधान मुख्य अभियंता (एम एंड एफ), लोनिवि, 12वां तल, एम.एस.ओ. भवन, नई दिल्ली।
3. मुख्य अभियंता (साउथ), लोनिवि, 7वां तल, एम.एस.ओ. भवन, नई दिल्ली।
4. मुख्य अभियंता (नार्थ), लोनिवि, 5वां तल, एम.एस.ओ. भवन, नई दिल्ली।
5. मुख्य अभियंता (ईस्ट), लोनिवि, तीसरा तल, एम.एस.ओ. भवन, नई दिल्ली।
6. मुख्य अभियंता (स्वास्थ्य), लोनिवि, द्वितीय तल, एम.एस.ओ. भवन, नई दिल्ली।
7. मुख्य अभियंता (परियोजनाएं), लोनिवि, प्रथम तल, एम.एस.ओ. भवन, नई दिल्ली।
8. मुख्य अभियंता (फ्लाईओवर), चौथा तल, लोनिवि, एम.एस.ओ. भवन, नई दिल्ली।
9. मुख्य अभियंता (न्यायपालिका एवं परियोजनाएं), लोनिवि, 13वां तल, एम.एस.ओ. भवन, नई दिल्ली।
10. PWD Website

Beelding 24/10/2025
सहायक प्रशासनिक अधिकारी
कार्यालय प्रमुख अभियंता
लो० नि० वि०, दिल्ली सरकार
12वां तल, पुलिस मुख्यालय,
नई दिल्ली-110002