

## Details of Speed Calming Measures Proposals (Pending/Execution) sent to PWD during the year 2019

(upto 30.06.2019)

Sl. No.	SUBJECT	SENT VIDE NUMBER	DATE	ADDRESSED TO	AGENCY CONCERNED	CONCERNED DISTT	RANGE	REMARKS	Whether Speed Calming Measure has been provided by civic agency or not
1.	Regarding request for installing of speed calming device in front of Shyam Lal College in carriageway Shahdara towards Keshav Chowk and Keshav Chowk towards Shahdara	186-89/ SO/DCP/T- ER	07-Jan-19	Executive Engineer, PWD, Division M-213, Shastri Park, Near I.T. Park, Delhi	PWD	North East	Eastern Range	SCM	Not Installed
2.	Proposal for construction of two speed calming measures at road No. B-3,Sec-15/16 dividing road, Rohini, Delhi.	263-66/TE (D-III)/Traffic	10-Jan-19	Executive Engineer, (North West) Roads-2, Road No. 43, PWD, Sainik Vihar, Near Keshav Mahavidhyalay, Pitampura, New Delhi.	PWD	Outer	Outer Range	SCM	Not Installed
3.	Report on second site visit made to Rani Jhansi Flyover on 3.1.19 by CSIR-CRRI scientist – <b>road safety measures</b>	279- 88/P.Sec/ DCP/T-CR	10-Jan-19	Superintending Engineer (Project), PWD, Lok Nayak Setu, Western Bank, I.P.Estate, N.D.	PWD	North	Central Range	SCM	Not Installed
4.	Regarding request for installing of speed calming device near the merging point on the road connecting the Noida Link with NH-09	232-35/ SO/DCP/T- ER	25-Jan-19	Exe. Engineer, PWD, Div. No. M-212, Ramesh Park, Near P.S. Shakarpur, Pusta Road, Delhi	PWD	East	Eastern Range	SCM	Not Installed
5.	Regarding request for installing of speed calming device at the	417-20/ SO/DCP/T-	31-Jan-19	Exe. Engineer, PWD, Division M-213,	PWD	North East	Eastern Range	SCM	Not Installed

Sl. No.	SUBJECT	SENT VIDE NUMBER	DATE	ADDRESSED TO	AGENCY CONCERNED	CONCERNED DISTT	RANGE	REMARKS	Whether Speed Calming Measure has been provided by civic agency or not
	following locations:- 1. Zero Pusta (In both carriageway) 2. 1 <sup>st</sup> Pusta (In both carriageway) 3. 2 <sup>nd</sup> Pusta (In both carriageway) 4. 3 <sup>rd</sup> Pusta (In both carriageway) 5. 5 <sup>th</sup> Pusta (In both carriageway)	ER		Shastri Park, Near I.T.Park, Delhi					
6.	Regarding request for installing of speed calming device in front of DMRC Training Institute, G.T. Road in both carriageway	445-48/SO-DCP/T-ER	01-Feb-19	Asstt. Engineer, (Shahdara) PWD, Civil Road, Maintenance, Sub Division No. M-213, I.T. Park, Delhi	PWD	North East	Eastern Range	SCM	Not Installed
7.	Construction of Speed Calming measures in D-Block Vasant Vihar to control over speeding and dangerous driving	509-16/SO-DCP/T-SR	06-Feb-19	Exe. Engineer, South-West-1, PWD-113, Brar Square, Dhaura Kuan, New Delhi	PWD	South	Southern Range	SCM	Not Installed
8.	Regarding request for installing of speed calming devices at blind curve in Pocket-B, Mayur Vihar, Phase-2, Delhi	362-66/SO-DCP/T-ER	08-Feb-19	1. Executive Engineer, PWD, CRM Division No. M-212, Ramesh Park Near PS Shakarpur, Pusta Road, Delhi 2. Executive Engineer, PWD, Div. No. M-211, 2 <sup>nd</sup> Nizamudin Bridge, Eastern Approach, Delhi	PWD	East	Eastern Range	SCM	Not Installed

Sl. No.	SUBJECT	SENT VIDE NUMBER	DATE	ADDRESSED TO	AGENCY CONCERNED	CONCERNED DISTT	RANGE	REMARKS	Whether Speed Calming Measure has been provided by civic agency or not
9.	Proposal for construction of two speed calming measures in front of school main Gate No. 1 and side Gate No. 2, Prashant Vihar, Rohini, Delhi.	1361-64/TE (D-III)/Traffic	11-Feb-19	Executive Engineer, (North West) Roads-2, Road No. 43, PWD, Sainik Vihar, Near Haryana Maitri Bhawan, New Delhi	PWD	Outer	Outer Range	SCM	Not Installed
10.	Proposal for construction of speed breakers at Nizamuddin Khatta, NH-24 before turning point akshardham to Sarai Kale Khan Ring Road	607-613/SO-DCP/T-SR	14-Feb-19	Exe. Engineer, PWD, South East, Road-1, Ishwar Nagar, Kalka More, New Delhi	PWD	South East	Southern Range	SCM	Not Installed
11.	Regarding request for installing of speed calming measures in Kailash Colony	661-67/SO-DCP/T-SR	18-Feb-19	Exe. Engineer, South Road-II (M-411), PWD, JB Tito Marg, Andrews Ganj, New Delhi	PWD	South East	Southern Range	SCM	Not Installed
12.	Road safety measures for major roads in Southern Range – Installation of self illuminating or solar powered studs, appropriate nose protection or lane identification devices like spring posts, road studs, flexible M Markers etc.	703-08/SO-DCP/T-SR	21-Feb-19	Exe. Engineer, South East Road-II, PWD, GNCTD, Sukhdev Vihar, New Delhi	PWD	South	Southern Range	Safety Measures	Not Installed
13.	Regarding improvement in road infrastructure of Outer Ring Road between Mukarba Chowk and Wazirabad for the safety of Road	770-80/SO/DCP/T-OR,	25-Feb-19	Exe. Engineer, PWD, F-11, Mukarba Chowk, Delhi	PWD	North West	Outer Range	Improvement in road infrastructure/ SCM	Not Installed

Sl. No.	SUBJECT	SENT VIDE NUMBER	DATE	ADDRESSED TO	AGENCY CONCERNED	CONCERNED DISTT	RANGE	REMARKS	Whether Speed Calming Measure has been provided by civic agency or not
	Users.(Seed Calming Measures) 1. Near Prepaid Booth 2. Bhalswa Chowk/flyover/near flyover 3. EE Block, Jahangirpuri Red Light 4. Mukundpur Chowk/Flyover/near flyover 5. Burari Chowk/Flyover/near flyover 6. ITI Dheerpur 7. Jagatpur/Handhi Vihar Red Light 8. Gopalpur Red Light 9. Near Wazirabad Flyover								
14.	Proposal for construction of speed calming measures at following locations :- 1. In front of Govt. Co-Ed Sr. Sec. School & M.C. Primary School, Auchandi 2. In front of Sarvodaya Vidyalaya Chandpur Majra 3. Maharaja Agrasain School & Bharat Mata Saraswati Bal Mandir, Senior Sec. School 4. L.K.International School 5. M.C. Primary School, Prahladpur 6. Govt. Co-Ed Senior Secondary School, Prahladpur 7. M.C.Primary School, Praladpur	317-20/Traffic Inspector/ Bawana Circle	12-Mar-19	Exe. Engineer, North Road Div. M-313,PWD,  Opposite Khalsa College, New Delhi	PWD	Outer	Outer Range	SCM	Status not available

Sl. No.	SUBJECT	SENT VIDE NUMBER	DATE	ADDRESSED TO	AGENCY CONCERNED	CONCERNED DISTT	RANGE	REMARKS	Whether Speed Calming Measure has been provided by civic agency or not
	8. Govt. Co-Ed Senior Secondary School, Prahladpur 9. K.D.Model School 10. L.K. International School Barwala 11. Maan Public School, Khera Khurd 12. In front of DTU 13. 13.St. Xavier School, Shahbas Dairy 14. M.C.Primary School Shahbad Dairy 15. 15.M.C.Primary School Barwala 16. Maharashi Dayanand Vidya Bhawana 17. Sukiriti Public School, Khera Khurd 18. M.C.Primary School, Naya Bans 19. Near Naya Bans Pullia 20. Sarvodaya Kenya Vidyalaya Khera Khurd 21. In front of Samaypur Badli Metro Station before Badli Underpass 22. Jhanda Chabautra, Mungeshpur Village 23. M.C.Primary School, Girls, Mungeshpur 24. M.C.Primary School, Girls, Mungeshpur								
15.	Regarding proposal for installation of the speed calming measures	268-71/Traffic	12-Mar-19	Exe. Engineer,	PWD	Outer	Outer	SCM	Status not

Sl. No.	SUBJECT	SENT VIDE NUMBER	DATE	ADDRESSED TO	AGENCY CONCERNED	CONCERNED DISTT	RANGE	REMARKS	Whether Speed Calming Measure has been provided by civic agency or not
	with cautionary road signages "Stop on Zebra Crossing", "Accident prone Area", "Speed Limit", "Drive Slow" in the area of Bawana Circle:- 1.Roads towards A1 to A3 Sec-36 Rohini 2.Roads towards B1, C1 to C3 Sec-36 Rohini 3.Roads towards Sec-31 to 38 Rohini	Inspector/ Bawana Circle		North Road Div. M-313,PWD,  Opposite Khalsa College, New Delhi			Range		available
16.	Proposal for construction of speed calming measures at DSIIDC Bawana cut Sec-3 & 4 and extension of central verge on Badli Bawana Road in front of A-1 Dharam Kanta in the area of Bawana Traffic Circle	284-87/Traffic Inspector/ Bawana Circle	12-Mar-19	Exe. Engineer, North Road Div. M-313,PWD,  Opposite Khalsa College, New Delhi	PWD	Outer	Outer Range	SCM	Status not available
17.	Regarding construction of Rumble strip and Road marking on Pankha Road, DESU Colony and Jail Road	496-502/SO/ Addl.CP/T-WR,	15-Mar-19	Exe. Engineer, PWD, WR-I, R.R.Lines, Dhaura Kuan, New Delhi	PWD	West	Western Range	Rumble Strip	Status not available
18.	Regarding construction of speed breaker at Kanhiya Nagar Chowk	1068-71/P.Sec/ DCP/T-OR,	19-Mar-19	Exe. Engineer( C ), North-West, R-1, PWD,	PWD	North-West	Outer Range	SCM	Status not available

Sl. No.	SUBJECT	SENT VIDE NUMBER	DATE	ADDRESSED TO	AGENCY CONCERNED	CONCERNED DISTT	RANGE	REMARKS	Whether Speed Calming Measure has been provided by civic agency or not
				Mukarba Chowk, Delhi					
19.	Proposal for installation of speed calming measures to reduce accident on Ring Road, Outer Ring Road and Wazirabad flyover in the jurisdiction of Civil Line Traffic Circle	1868-73/P.Sec/ DCP/T-CR,	22-Mar-19	Exe. Engineer( C ), PWD, SRD-I, Near Geeta Colony Flyover, New Delhi	PWD	North	Outer Range	SCM	Status not available
20.	Proposal for construction of speed calming measures with signages, Zebra Crossing and installation of "Drive Slow School Ahead" boards in front of school in the area of Bawana Circle:- 1. M.C.Primary School, Qutabgarh 2. In front of Dispensary, Qutabgarh	392-95/Traffic Inspector/ Bawana Circle	01-April-19	Exe. Engineer, North Road Div. M-313,PWD, Opposite Khalsa College, New Delhi	PWD	Outer	Outer Range	SCM/ Signages	Status not available
21.	Proposal for construction of speed calming measures with signages, and installation of traffic sign boards of speed limit/accident prone area "Drive Slow" Sohati Road, Qutab Garh, Delhi in the area of	396-99/Traffic Inspector/ Bawana Circle	01-April-19	Exe. Engineer, (Civil) Narela Zone, Near Nigam Bhawan, Opposite Narela Police Station, Delhi	PWD	Outer	Outer Range	SCM/ Signages	Status not available

SI. No.	SUBJECT	SENT VIDE NUMBER	DATE	ADDRESSED TO	AGENCY CONCERNED	CONCERNED DISTT	RANGE	REMARKS	Whether Speed Calming Measure has been provided by civic agency or not
	Bawana Traffic Circle								
22.	Regarding speed calming measure at Maurice Nagar Chowk	2210-16/ P.Sec/DCP/ T-CR	01-April-19	Exe. Engineer, C&ND Road Division (M-413), PWD, GNCTD, Under Ring Road Bypass Flyover, Opp. IGI Stadium, Gate No. 10, I.P.Estate, New Delhi	PWD	North	Central Range	SCM	Status not available
23.	Regarding installation of speed calming measures at Ring Road Salim Garh Bypass and Raja Ram Kohli Marg	2257-60/ P.Sec/DCP/ T-CR	01-April-19	Superintendent Engineer(Project), PWD, Lok Nayak Setu, Western Yamuna Bank, I.P.Estate, New Delhi	PWD	North	Central Range	SCM	Status not available
24.	Regarding speed calming measure at Malka Ganj Chowk	2191-97/ P.Sec/DCP/ T-CR	01-April-19	Exe. Engineer, C&ND Road Division (M-413), PWD, GNCTD, Under Ring Road Bypass Flyover, Opp. IGI Stadium, Gate No. 10, I.P.Estate, New Delhi	PWD	North	Central Range	SCM	Status not available



Sl. No.	SUBJECT	SENT VIDE NUMBER	DATE	ADDRESSED TO	AGENCY CONCERNED	CONCERNED DISTT	RANGE	REMARKS	Whether Speed Calming Measure has been provided by civic agency or not
25.	Regarding speed calming measure at Vishvavidyalaya Marg	2204-2209/ P.Sec/DCP/ T-CR	01-April-19	Exe. Engineer, C&ND Road Division (M-413), PWD, GNCTD, Under Ring Road Bypass Flyover, Opp. IGI Stadium, Gate No. 10, I.P.Estate, New Delhi	PWD	North	Central Range	SCM	Status not available
26.	Regarding speed calming measure at Old GT Road near Baraf Khana Chowk	2217-23/ P.Sec/DCP/ T-CR	01-April-19	Exe. Engineer, C&ND Road Division (M-413), PWD, GNCTD, Under Ring Road Bypass Flyover, Opp. IGI Stadium, Gate No. 10, I.P.Estate, New Delhi	PWD	North	Central Range	SCM	Status not available
27.	Regarding speed calming measure at Karanti Chowk	2224-30/ P.Sec/DCP/ T-CR	01-April-19	Exe. Engineer, C&ND Road Division (M-413), PWD, GNCTD, Under Ring Road Bypass Flyover, Opp. IGI Stadium, Gate No. 10, I.P.Estate, New Delhi	PWD	North	Central Range	SCM	Status not available

Sl. No.	SUBJECT	SENT VIDE NUMBER	DATE	ADDRESSED TO	AGENCY CONCERNED	CONCERNED DISTT	RANGE	REMARKS	Whether Speed Calming Measure has been provided by civic agency or not
				Delhi					
28.	Regarding various safety measures on Rani Jhansi Road between Filmistan to R/A Idgah in the area of Sadar Bazar traffic Circle ) <b>Speed Calming Measure</b>	2314-2320/ P.Sec/DCP/ T-CR	02-April-19	Exe. Engineer, SRD-I, PWD, near ITO, Delhi	PWD	North	Central Range	SCM	Status not available
29.	Regarding request for installing of speed calming device on flyover near ISBT Anand Vihar	943-46/SO-DCP/T-ER	02-April-19	Executive Engineer, PWD, CRM Division No. M-212, Ramesh Park Near PS Shakarpur, Pusta Road, Delhi	PWD	East	Eastern Range	SCM	Status not available
30.	Regarding request for installing of speed calming device	954-57/SO-DCP/T-ER	02-April-19	Asstt. Engineer, PWD, Shahdara (Road), Sub-Division-2114, Tahirpur, Delhi	PWD	North East	Eastern Range	SCM	Status not available
31.	Regarding speed calming measure at Patel Chest Chowk	2546-52/ P.Sec/DCP/ T-CR	08-April-19	Exe. Engineer, C&ND Road Division (M-413), PWD, GNCTD, Under Ring Road Bypass Flyover, Opp. IGI Stadium, Gate No. 10, I.P.Estate, New	PWD	North	Central Range	SCM	Status not available

Sl. No.	SUBJECT	SENT VIDE NUMBER	DATE	ADDRESSED TO	AGENCY CONCERNED	CONCERNED DISTT	RANGE	REMARKS	Whether Speed Calming Measure has been provided by civic agency or not
				Delhi					
32.	Regarding request for installing of speed calming device on zero Pusta, 1 <sup>st</sup> Pusta, 2 <sup>nd</sup> Pusta, 3 <sup>rd</sup> Pusta, 3 ½ Pusta, 4 <sup>th</sup> Pusta 4 ½ Pusta and 5 <sup>th</sup> Pusta	1062-66/SO-DCP/T-ER	08-April-19	1.Asstt. Engineer, PWD, Civil Road Maintenance, Sub Division M-213,IT Park, Delhi  2.Exe. Engineer, PWD, CRM Hazrat Nizamuddin Bridge, Eastern Approach Road, Delhi	PWD	North East	Eastern Range	SCM	Status not available
33.	Proposal regarding speed calming measure near Petrol Pump on Boulevard Road in the area of Subzi Mandi Traffic Circle	2646-52/ P.Sec/DCP/ T-CR	09-April-19	Exe. Engineer (Civil), C&ND Road Division (M-413), PWD, GNCTD, Under Ring Road Bypass Flyover, Opp. IGI Stadium, Gate No. 10, I.P.Estate, New Delhi	PWD	North	Central Range	SCM	Status not available
34.	Proposal regarding speed calming measure on Boulevard Road in the area of Subzi Mandi Traffic Circle	2653-59/ P.Sec/DCP/ T-CR	09-April-19	Exe. Engineer (Civil), C&ND Road Division (M-413), PWD, GNCTD, Under Ring Road Bypass Flyover, Opp. IGI Stadium, Gate No. 10,	PWD	North	Central Range	SCM	Status not available

Sl. No.	SUBJECT	SENT VIDE NUMBER	DATE	ADDRESSED TO	AGENCY CONCERNED	CONCERNED DISTT	RANGE	REMARKS	Whether Speed Calming Measure has been provided by civic agency or not
				I.P.Estate, New Delhi					
35.	Regarding request for installing of speed calming devices on Budha Marg, Mandawali toward old PPG road to Narwana Road	943-48/SO-DCP/T-ER	23-April-19	1.Dy. commissioner, EDMC, Shahdara South Zone, New Sanjay Amar Colony, Behind Karkardooma Court Complex, Delhi  2.Exe. Engineer, PWD, Div. No. M-212, Ramesh Park, near P.S. Shakarpur, Pusta Road, Delhi	PWD, EDMC,	East	Eastern Range	SCM	Status not available
36.	Regarding installation of speed calming measures at Zorawar Singh Marg under Rani Jhansi Flyover	2378-83/ P.Sec/ DCP/T-CR	25-April-19	Superintending Engineer (Project), PWD, Loknaya Setu, Western Bank, I.P. Estate, New Delhi	PWD	North	Central Range	SCM	Status not available
37.	Proposal for construction of speed calming measures at Goyla Dairy Village Road, Dwarka, Delhi.	4097-99/TE (D-III)/Traffic	02 May, 19	Executive Engineer, PWD, South West Road-II, Under Dabri Flyover,	PWD	South West	Western Range	SCM	Status not available

Sl. No.	SUBJECT	SENT VIDE NUMBER	DATE	ADDRESSED TO	AGENCY CONCERNED	CONCERNED DISTT	RANGE	REMARKS	Whether Speed Calming Measure has been provided by civic agency or not
				Dabri, New Delhi					
38.	Regarding installation of Table Top speed calming measures near Karol Bagh Metro Station in the area of Karol Bagh Traffic Circle	2563-69/ P.Sec/DCP/ T-CR	08 May,19	Asstt. Engineer, PWD, A-Block, Inderpuri  New Delhi	PWD	Central	Central Range	SCM/ Table Top	Status not available
39.	Installing of speed calming device at GTB Hospital Crossing on road comes from GTB Hospital.	1570-75/ SO/DCP/T- ER	17 May,19	Exe. Engineer,PWD, CRM Hazrat Nizamudding Bridge,	PWD	North East	Eastern Range	SCM	Status not available
40.	Installing of speed calming device at the foot of Nathu Colony Flyover.	1576-81/ SO/DCP/T- ER	17 May,19	Exe. Engineer,PWD, CRM Hazrat Nizamudding Bridge,	PWD	North East	Eastern Range	SCM	Status not available
41.	Installing of speed calming device opposite Govt. officers society gate on Acharya Nagraj Marg, Madhuban	1587-92/ SO/DCP/T- ER	21 May,19	Exe. Engineer,PWD, Division No. M-212, Near P.S. Shakarpur, Pusta Road	PWD	East	Eastern Range	SCM	Status not available
42.	Regarding installation of speed calming measures in the area of Pul Mithai at SPM Marg and Lahori Gate Chowk	3053-56/ P.Sec./DCP/T- CR	11 June,19	The Superintendent Engineer (Project), PWD, Lok Nayak Setu,  Western Yamuna	PWD	North	Central Range	SCM	Status not available

Sl. No.	SUBJECT	SENT VIDE NUMBER	DATE	ADDRESSED TO	AGENCY CONCERNED	CONCERNED DISTT	RANGE	REMARKS	Whether Speed Calming Measure has been provided by civic agency or not
				Bank, I.P.Estate, New Delhi					
43.	Regarding proposal for speed calming and other precautionary measures at the "Cut on Mehrauli Mahipalpur Road near Rangpuri Red Light	2224-29/SO/ Addl. CP/T-SR	12 June,19	Exe. Engineer, South West Road-I, PWD, Brar Square, New Delhi	PWD	South	Southern Range	SCM	Status not available
44.	Regarding request for installing of speed calming devices :-  1. Near Gazipur Bus Depot 2. Near Vegetable Market, Gazipur 3. Between Gazipur Vegetables Market and Gazipur Flyover	1860-64/ SO/DCP/T-ER	13 June,19	1. Exe. Engineer,PWD, Division No. M-212, Near P.S. Shakarpur, Pusta Road 2. Dy. Commissioner, EDMC, Shahdara South Zone, New Sanjay Amar Colony, Behind Karkardooma Court Complex, Delhi	PWD, EDMC	East	Eastern Range	SCM	Status not available
45.	Regarding request for installing of speed calming device before the entry cut at disused canal road and at service road, Jagatpuri	1855-59/ SO/DCP/T-ER	13 June,19	1. Exe. Engineer,PWD, Division No. M-212, Near P.S. Shakarpur, Pusta Road 2. Dy. Commissioner,	PWD, EDMC	East	Eastern Range	SCM	Status not available

Sl. No.	SUBJECT	SENT VIDE NUMBER	DATE	ADDRESSED TO	AGENCY CONCERNED	CONCERNED DISTT	RANGE	REMARKS	Whether Speed Calming Measure has been provided by civic agency or not
				EDMC, Shahdara South Zone, New Sanjay Amar Colony, Behind Karkardooma Court Complex, Delhi					
46.	Regarding installation of signage boards and speed calming measures at various locations in the area of Daryaganj traffic circle	3239-45/ P.Sec./ DCP/T/CR	17 June,19	Exe. Engineer, Central and New Delhi Roads (Old M-413), PWD, Bhairo Road, T-Junction near Pragati Power Station, Delhi	PWD	Central	Central Range	SCM/ Signages	Status not available
47.	Regarding request for installing of speed calming device at entry point of Mandoli-Saboli Road near Meet Nagar Flyover	1866-69/ SO/DCP/T- ER	18 June,19	Exe. Engineer,PWD, CRM, Hazrat Nizamudding Bridge, Eastern Approach Road, Delhi	PWD	North East	Eastern Range	SCM	Status not available
48.	Regarding request for installing of speed calming device/rumble strips in front of Nandnagri Depot	1870-73/ SO/DCP/T- ER	18 June,19	Exe. Engineer, PWD, Division No. M-212, Ramesh Park, near P.S. Shakarpur, Pusta Road, Delhi	PWD	North East	Eastern Range	SCM/Rumble strips	Status not available
49.	Regarding proposal for speed breakers on Nelson Mandela Marg near Baba Gang Nath Temple	484-89/SO/ Addl. CP/T- SR	21 June,19	Exe. Engineer, SWR-I, PWD, Brar Square, New Delhi	PWD	South	Southern Range	SCM	Status not available

Sl. No.	SUBJECT	SENT VIDE NUMBER	DATE	ADDRESSED TO	AGENCY CONCERNED	CONCERNED DISTT	RANGE	REMARKS	Whether Speed Calming Measure has been provided by civic agency or not
50.	Regarding proposal for installation of Speed Breakers at Jeewan Park Bus stand, Pankha Road, Janak Puri, New Delhi	1335-38/SO-DCP/T-WR	25 June,19	Exe. Engineer,PWD, WR-1, R.R. Lines, Dhaula Kuan	PWD	West	Western Range	SCM	Status not available
51.	Regarding request for installing of speed calming device in both carriageways in front of Rama Krishna Vihar Apartment,I.P.Extension, Delhi	1278-81/SO/DCP/T-ER	26 June,19	Exe. Engineer, PWD, Division No. M-212, Ramesh Park, near P.S. Shakarpur, Pusta Road, Delhi	PWD	East	Eastern Range	SCM	Status not available