

DAILY REPORT OF WEATHER AND FLOOD SITUATION.

Date: 09.07.2016

(I)

WEATHER REPORT (As provided by I.M.D)

1. WEATHER FORECAST FOR RIVER YAMUNA

Upper Catchment	:	Rain/thundershower likely at a few places
Heavy rain fall warning	:	Nil
Out look	:	INCREASE
Lower Catchment	:	Light Rain/thundershower likely at isolated places
Heavy rainfall warning	:	Nil
Out look	:	NO LARGE CHANGE

2. WEATHER FORECAST FOR RIVER SAHIBI

Heavy rain fall warning	:	Light Rain/thundershower likely at isolated places
Out look	:	Nil
	:	NO LARGE CHANGE

3. LOCAL FORECAST

: Mainly cloudy sky. Light rain/thundershowers likely to occur in some areas. The maximum and minimum temp would be around 36 and 27 deg cel respectively.

4. RAINFALL DURING LAST 24 HOURS (in mm)

Delhi

(a) Palam	:	1.4	(b) Safdarjung	:	4.4
(c) Dhansa	:	8.8	(d) Old. Rly. Bridge	:	3.0

(II)	Total Rainfall in Delhi during last 24 Hours (up to 8.30 a.m.)	4.4 mm
(III)	Total Rainfall in Delhi from 1 st June to till date	115.4 mm
(iv)	Average Normal Rainfall in Delhi, 1 st June to till date	104.1 mm
(V)	Average Total Normal Rainfall in Delhi.	618.7 mm

(VI) **RAINFALL IN YAMUNA CATCHMENT (in mm)**

Shimla	:	0.2	Ambala	:	0.0
Solan	:	0.0	Paonta	:	0.0
Chandigarh	:	0.0	Tajewala	:	0.0
Jateon Barrage	:	0.0	Dadupur	:	0.0
Nahan	:	0.0	Dehradun	:	11.8
Haripur	:	0.0	Patiala	:	0.0
Bausan	:	0.0	Saharanpur	:	0.0
Karnal	:	0.0	Mathura	:	0.0

(VII) **RAINFALL IN SAHIBI CATCHMENT(in mm)**

Dadri Toye	:	0.0	Rewari	:	0.0
Massani Barrage	:	0.0	Jaipur	:	0.2

(VIII) **INFERENCE:**

SYNOPTIC SITUATION (MORNING INFERENCE):

The Northern Limit of Monsoon(NLM) continues to pass through Latitude 24.0°N/Longitude 60.0°E, Latitude 24.0°N/Longitude 70.0°E, Bhuj, Jodhpur, Phalodi and Latitude 28.0 °N/ Longitude 71.0°E. Conditions are favourable for further advance of SouthWest Monsoon in to remaining parts of Kutch and West -Rajasthan during next 2-3 days. The trough at mean sea level runs from Punjab to East central- Bay of Bengal across South Haryana, North Madhya Pradesh, North Chhattisgarh, North Odisha and North West Bay of Bengal. The western disturbance as an upper air cyclonic circulation lies over North Pakistan and neighbourhood between 3.1 to 5.8 Km above mean sea level.

(IX) GAUGE AND DISCHARGE DATA OF SOME IMPORTANT SITES AT 8.00 AM. ON 09/07/2016

S. No.	Location	Gauge in Meters U/S	D/S	Discharge in cusecs	Remark
I RIVER YAMUNA					
1.	Tajewala/Hathni Kund (6.00 A.M.)			352	
2.	Somb River (6 A.M.)	N/A		N/A	
3.	Palla	207.825			
4.	Jhangola	206.350			
5.	Jagatpur Bund	205.725			
6.	L.F. Bund RD. 5222	Dry			
	L.F. Bund RD.0	Dry			
7.	Wazirabad Barrage	205.59	202.87	1200	
8.	Old Rly Bridge	202.38			
9.	Yamuna Barrage	202.23	201.44	1647	
10.	Okhla Barrage (6.00 a.m.)	201.35	195.10	3357	
11.	Shahadara Out fall drain (Atta Bridge)	Below			
12.	Jaitpur(Ali Drain)	Below			
II RIVER SAHIBI					
1.	Masani	Dry	Dry	Nil	R/F- Nil
2.	Dadri Bridge NO. 1 Dadri Bridge No. 2	211.50 Dry	-	-	R/F- Nil
Q NAJAFGARH DRAIN					
1.	i) Dhansa Regulator	Dry	Dry	Nil	R/F- 8.8 mm
	ii) Dhansa Regulator	Dry	Dry	Nil	
	iii) Dhansa Regulator	Dry	Dry	Nil	
2.	Chhawla Bridge	208.850			
3.	Kakraula Regulator	208.600			2 Gate Open
4.	Basaidarapur Bridge	N/A			
5.	Bharat Nagar Bridge	207.025	207.000	811	
6.	Timarpur Bridge	203.975	203.950	870	
IV TRUNK DRAIN NO.1					
	R.D.6550 M.	N/A			
	RD. 8950 M.	204.050			
	RD.10330M	204.300			
V CHILLA REGULATOR					
		198.450	198.350		
VI GHAZIPUR DRAIN.					
1	RD.6157M.	199.40			

X Flood Situation in River Yamuna

- (i) **Discharge at Hathni Kund Barrage (3Kms. Upstream of Tajewala)**
(a) Peak discharge during last 24 hrs. **352 Cusecs.**
(b) Discharge at 08.00 hrs. today **352 Cusecs.**
- (ii) **WATER LEVEL AT OLD RAILWAY BRIDGE:**
(a) Max. Gauge during last 24 hr. 202.48
(b) Gauge at 08.00 hrs. today 202.38

Warning level : 204.00 mts.
Danger Level : 204.83 mts.
Highest Flood Level : 207.49 mts.
observed in 1978

**CASE OF WATER LOGGING DUE TO LOCAL RAIN:
Report of I&FC Control Room.**

- (a) Back flow report in I&FC Drains. Nil
(b) Nos. of pumps deployed by I&FC Deptt. Nil

XII FLOOD FORECAST NO. N/A

Copy forwarded for information & necessary action to:-

- 1 The Chief Secretary, Delhi.
- 2 The Principal Secretary to Hon'ble Lt Governor, Delhi.
- 3 Secretary (I&F), Govt. of N.C.T. of Delhi, 5/9 Under Hill 0/Road, Delhi.
- 4 Principal Secretary (Revenue) cum Divisional Commissioner, 5 Sham Nath Marg, Delhi.
- 5 Secretary, DM-1 (Border Management) Minister of Home Affairs North Block, Govt. of India, New Delhi.
- 6 Secretary (PWD), Govt. of NCT of Delhi, 5th Level, B-Wing, Delhi Secretariat, I.P. Estate, New Delhi.
- 7 Additional Secretary (Revenue), 5, Sham Nath Marg, Delhi.
- 8 Spl. Secretary (I&F), Government of Delhi.
- 9 Chairman, Ganga Flood Control Commission, Ministry of Water Resources, Sinchai Bhawan, 3rd, Floor, Patna-800015.
- 10 Member (R.M.), Central Water Commission, Sewa Bhawan, R.K.Puram, New Delhi.
- 11 Member, Water Supply, Delhi Jal Board, Jhandewalan, New Delhi.
- 12 Director (DM-1), MHA, Govt. of India, Lok Nayak Bhawan, Khan Market, Delhi.
- 13 Director (MP-I) Ganga Flood Control Commission, 3rd, Floor, Patna-800015.
- 14 Commissioner, EDMC, Room No.A1-101, 1st Floor, Udyog Sadan, Delhi-92.
- 15 Engineer in-Chief, Public works Department, Govt. of NCT of Delhi, M.S.O. Building, I.P.Estate, New Delhi.
- 16 Commissioner, NDMC, 4th floor, SPM Marg, Civic Centre, J.L.N. Marg, Minto Road, Delhi-110002.
- 17 Commissioner, SDMC, 9th Floor, SPM Marg, Civic Centre, JLN Marg, Minto Road, Delhi-110002.
- 18 Engineer-in-Chief, EDMC, 1st Floor, Udyog Sadan Patpar Ganj, Industrial area, Delhi-110092.
- 19 Engineer-in-Chief, NDMC, 6th Floor, SPM Marg, Civic Centre, JLN Marg, E-Block, Minto Road, Delhi-110002.
- 20 Engineer-in-Chief, SDMC, 6th Floor, SPM Marg, Civic Centre, JLN Marg, Minto Road, Delhi-110002.
- 21 Chief Engineer (Bridges), Northern Rly. Baroda House, New Delhi.
- 22 Chief Engineer (Civil), 1501, 15th Floor, New Delhi Municipal Corporation of Delhi, Palika Kendra, Delhi.
- 23 Chief Engineer (I&F) Zone-I, II, Govt. of Delhi.
- 24 Chief Engineer (FM), CWC, R.No.801 (N), Sewa Bhawan, R.K. Puram, New Delhi.
- 25 Chief Engineer (E&M-II), Delhi Jal Board, Civil Lines, Delhi.
- 26 Commanding Officer, 17 Engineers Regiment, C/o 56 APO, Delhi Cantt. Delhi.
- 27 Assistant Commissioner of Police, Command Room, Police Control Room, (Police HQ) MSO Building, I.P. Estate New Delhi.
- 28 Superintending Surveyor of works to Chief Engineer (I&FC), Govt. of Delhi to kindly upload on website of the I&FC Deptt.
- 29 Superintending Engineer, FC-I, II, III, IV, Govt. of Delhi.
- 30 Superintending Engineer (Haryana Irrigation) 3- Alipur Road, Delhi.
- 31 Superintending Engineer (H.O.C.) A-17, Sector -56, Noida (U.P).
- 32 Incharge, Flood Control Room, O/O D.C. (East), LM. Bund office Delhi.
- 33 Operation Control Room, DMRC, Shastri Park, Delhi.
- 34 Executive Engineer, Okhla Head Works, Okhla, New Delhi.
- 35 All Executive Engineer Flood Control Deptt. Govt. of Delhi.
- 36 Directorate, Information & Publicity Department, Govt. of Delhi.
- 37 Control Room, Delhi Traffic Police, Vikas Minar, New Delhi.
- 38 Guard file.

9/7/16

**INCHARGE FLOOD CONTROL ROOM:
L.M. BUND OFFICE COMPLEX, SHASTRI NAGAR
DELHI-110031.**

DAILY REPORT OF WEATHER AND FLOOD SITUATION.

Date: 10.07.2016

(I)

WEATHER REPORT (As provided by I.M.D)

1. WEATHER FORECAST FOR RIVER YAMUNA

Upper Catchment : Rain/thundershower likely at a few places
 Heavy rain fall warning : Nil
 Out look : NO LARGE CHANGE
 Lower Catchment : Light Rain/thundershower likely at isolated places

Heavy rainfall warning : Nil
 Out look : DECREASE

2. WEATHER FORECAST FOR RIVER SAHIBI

Light Rain/thundershower likely at isolated places

Heavy rain fall warning : Nil
 Out look : NO LARGE CHANGE

3. LOCAL FORECAST

: Mainly cloudy sky. Very light rain/thundershowers likely to occur towards evening/night. The maximum and minimum temp would be around 37 and 27 deg cel respectively.

4. RAINFALL DURING LAST 24 HOURS (in mm)

Delhi

(a) Palam	:	0.0	(b) Safdarjung	:	0.0
(c) Dhansa	:	0.0	(d) Old. Rly. Bridge	:	0.0

(II) Total Rainfall in Delhi during last 24 Hours (up to 8.30 a.m.) **0.0 mm**

(III) Total Rainfall in Delhi from 1st June to till date **119.8 mm**

(iv) Average Normal Rainfall in Delhi, 1st June to till date **115.4 mm**

(V) Average Total Normal Rainfall in Delhi. **618.7 mm**

(VI) RAINFALL IN YAMUNA CATCHMENT (in mm)

Shimla	:	0.4	Ambala	:	0.0
Solan	:	1.4	Paonta	:	0.0
Chandigarh	:	0.0	Tajewala	:	0.0
Jateon Barrage	:	0.0	Dadupur	:	0.0
Nahan	:	0.0	Dehradun	:	0.0
Haripur	:	0.0	Patiala	:	1.2
Bausan	:	0.0	Saharanpur	:	0.0
Karnal	:	0.0	Mathura	:	77.5

(VII) RAINFALL IN SAHIBI CATCHMENT(in mm)

Dadri Toye	:	0.0	Rewari	:	0.0
Massani Barrage	:	0.0	Jaipur	:	0.8

(VIII) INFERENCE:

SYNOPTIC SITUATION (MORNING INFERENCE):

The Northern Limit of Monsoon (NLM) continues to pass through Lat. 24.0°N/ Long. 60.0°E, Lat. 24.0°N/ Long. 70.0°E, Bhuj, Jodhpur, Phalodi and Lat. 28.0°N/ Long. 71.0°E. Conditions are favourable for further advance of southwest monsoon into remaining parts of Kutch and West Rajasthan during next 48 hours. The upper air cyclonic circulation over central parts of north Madhya Pradesh & neighbourhood now lies over West Madhya Pradesh & neighbourhood and extends upto 1.5 km above mean sea level. The trough at mean sea level from northwest Rajasthan to east central Bay of Bengal persists and now runs across south Uttar Pradesh, north Chhattisgarh, centre of low pressure area and northwest Bay of Bengal and extends upto 1.5 km above mean sea level. The Western Disturbance as an upper air cyclonic circulation over north Pakistan & neighbourhood between 3.1 & 5.8 km above mean sea level persists.

(IX) GAUGE AND DISCHARGE DATA OF SOME IMPORTANT SITES AT 8.00 AM. ON 10/07/2016

S. No.	Location	Gauge in Meters		Discharge in cusecs	Remark	
		U/S	D/S			
I	RIVER YAMUNA					
	1.	Tajewala/Hathni Kund (6.00 A.M.)			352	
	2.	Somb River (6 A.M.)	N/A		Nil	
	3.	Palla	207.700			
	4.	Jhangola	206.250			
	5.	Jagatpur Bund	205.650			
	6.	L.F. Bund RD. 5222	Dry			
		L.F. Bund RD.0	Dry			
	7.	Wazirabad Barrage	205.59	202.91	1200	
	8.	Old Rly Bridge	202.43			
	9.	Yamuna Barrage	202.23	201.63	1455	
	10.	Okhla Barrage (6.00 a.m.)	201.35	194.80	851	
	11.	Shahadara Out fall drain (Atta Bridge)	Below			
12.	Jaitpur(Ali Drain)	Below				
II	RIVER SAHIBI					
	1.	Masani	Dry	Dry		R/F- Nil
	2.	Dadri Bridge NO. 1	211.50			
Dadri Bridge No. 2		Dry	Dry			
Q	NAJAFGARH DRAIN					
	1.	i) Dhansa Regulator	Dry	Dry	Nil	R/F- Nil
		ii) Dhansa Regulator	Dry	Dry	Nil	
		iii) Dhansa Regulator	Dry	Dry	Nil	
	2.	Chhawla Bridge	208.850			
	3.	Kakraula Regulator	208.700			2 Gate Open
	4.	Basaidarapur Bridge	N/A			
5.	Bharat Nagar Bridge	207.025	207.000	795		
6.	Timarpur Bridge	203.975	203.950	863		
IV	TRUNK DRAIN NO.1					
		R.D.6550 M.	N/A			
		RD. 8950 M.	204.050			
		RD.10330M	204.300			
V	CHILLA REGULATOR		198.450	198.350		
VI	GHAZIPUR DRAIN.					
	1	RD.6157M.	199.40			

X Flood Situation in River Yamuna

- (i) **Discharge at Hathni Kund Barrage (3Kms. Upstream of Tajewala)**
(a) Peak discharge during last 24 hrs. **352 Cusecs.**
(b) Discharge at 08.00 hrs. today **352 Cusecs.**
- (ii) **WATER LEVEL AT OLD RAILWAY BRIDGE:**
(a) Max. Gauge during last 24 hr. 202.46
(b) Gauge at 08.00 hrs. today 202.43

Warning level : 204.00 mts.
Danger Level : 204.83 mts.
Highest Flood Level : 207.49 mts.
observed in 1978

IX


**CASE OF WATER LOGGING DUE TO LOCAL RAIN:
Report of I&FC Control Room.**

- (a) Back flow report in I&FC Drains. Nil
(b) Nos. of pumps deployed by I&FC Deptt. Nil

XII FLOOD FORECAST NO. N/A

Copy forwarded for information & necessary action to:-

- 1 The Chief Secretary, Delhi.
- 2 The Principal Secretary to Hon'ble Lt Governor, Delhi.
- 3 Secretary (I&F), Govt. of N.C.T. of Delhi, 5/9 Under Hill 0/Road, Delhi.
- 4 Principal Secretary (Revenue) cum Divisional Commissioner, 5 Sham Nath Marg, Delhi.
- 5 Secretary, DM-1 (Border Management) Minister of Home Affairs North Block, Govt. of India, New Delhi.
- 6 Secretary (PWD), Govt. of NCT of Delhi, 5th Level, B-Wing, Delhi Secretariat, I.P. Estate, New Delhi.
- 7 Additional Secretary (Revenue), 5, Sham Nath Marg, Delhi.
- 8 Spl. Secretary (I&F), Government of Delhi.
- 9 Chairman, Ganga Flood Control Commission, Ministry of Water Resources, Sinchai Bhawan, 3rd, Floor, Patna-800015.
- 10 Member (R.M.), Central Water Commission, Sewa Bhawan, R.K.Puram, New Delhi.
- 11 Member, Water Supply, Delhi Jal Board, Jhandewalan, New Delhi.
- 12 Director (DM-1), MHA, Govt. of India, Lok Nayak Bhawan, Khan Market, Delhi.
- 13 Director (MP-I) Ganga Flood Control Commission, 3rd, Floor, Patna-800015.
- 14 Commissioner, EDMC, Room No.A1-101, 1st Floor, Udyog Sadan, Delhi-92.
- 15 Engineer in-Chief, Public works Department, Govt. of NCT of Delhi, M.S.O. Building, I.P.Estate, New Delhi.
- 16 Commissioner, NDMC, 4th floor, SPM Marg, Civic Centre, J.L.N. Marg, Minto Road, Delhi-110002.
- 17 Commissioner, SDMC, 9th Floor, SPM Marg, Civic Centre, JLN Marg, Minto Road, Delhi-110002.
- 18 Engineer-in-Chief, EDMC, 1st Floor, Udyog Sadan Patpar Ganj, Industrial area, Delhi-110092.
- 19 Engineer-in-Chief, NDMC, 6th Floor, SPM Marg, Civic Centre, JLN Marg, E-Block, Minto Road, Delhi-110002.
- 20 Engineer-in-Chief, SDMC, 6th Floor, SPM Marg, Civic Centre, JLN Marg, Minto Road, Delhi-110002.
- 21 Chief Engineer (Bridges), Northern Rly. Baroda House, New Delhi.
- 22 Chief Engineer (Civil), 1501, 15th Floor, New Delhi Municipal Corporation of Delhi, Palika Kendra, Delhi.
- 23 Chief Engineer (I&F) Zone-I, II, Govt. of Delhi.
- 24 Chief Engineer (FM), CWC, R.No.801 (N), Sewa Bhawan, R.K. Puram, New Delhi.
- 25 Chief Engineer (E&M-II), Delhi Jal Board, Civil Lines, Delhi.
- 26 Commanding Officer, 17 Engineers Regiment, C/o 56 APO, Delhi Cantt. Delhi.
- 27 Assistant Commissioner of Police, Command Room, Police Control Room, (Police HQ) MSO Building, I.P. Estate New Delhi.
- 28 Superintending Surveyor of works to Chief Engineer (I&FC), Govt. of Delhi to kindly upload on website of the I&FC Deptt.
- 29 Superintending Engineer, FC-I, II, III, IV, Govt. of Delhi.
- 30 Superintending Engineer (Haryana Irrigation) 3- Alipur Road, Delhi.
- 31 Superintending Engineer (H.O.C.) A-17, Sector -56, Noida (U.P).
- 32 Incharge, Flood Control Room, O/O D.C. (East), LM. Bund office Delhi.
- 33 Operation Control Room, DMRC, Shastri Park, Delhi.
- 34 Executive Engineer, Okhla Head Works, Okhla, New Delhi.
- 35 All Executive Engineer Flood Control Deptt. Govt. of Delhi.
- 36 Directorate, Information & Publicity Department, Govt. of Delhi.
- 37 Control Room, Delhi Traffic Police, Vikas Minar, New Delhi.
- 38 Guard file.


INCHARGE FLOOD CONTROL ROOM:
L.M. BUND OFFICE COMPLEX, SHASTRI NAGAR
DELHI-110031.

DAILY REPORT OF WEATHER AND FLOOD SITUATION.

Date: 11.07.2016

(I)

WEATHER REPORT (As provided by I.M.D)

1. WEATHER FORECAST FOR RIVER YAMUNA

Upper Catchment	:	Rain/thundershower likely at a few places
Heavy rain fall warning	:	Nil
Out look	:	INCREASE
Lower Catchment	:	Light Rain/thundershower likely at isolated places
Heavy rainfall warning	:	Nil
Out look	:	INCREASE

2. WEATHER FORECAST FOR RIVER SAHIBI

Heavy rain fall warning	:	Light Rain/thundershower likely at isolated places
Out look	:	Nil
	:	NO LARGE CHANGE

3. LOCAL FORECAST

: Generally cloudy sky with Very light rain or drizzle likely to occur. The maximum and minimum temp would be around 33 and 29 deg cel respectively.

4. RAINFALL DURING LAST 24 HOURS (in mm)

Delhi				
(a) Palam	:	0.0	(b) Safdarjung	Trace
(c) Dhansa	:	0.0	(d) Old. Rly. Bridge	0.0

(II) Total Rainfall in Delhi during last 24 Hours (up to 8.30 a.m.)

Trace

(III) Total Rainfall in Delhi from 1st June to till date

119.8 mm

(iv) Average Normal Rainfall in Delhi, 1st June to till date

122.0 mm

(V) Average Total Normal Rainfall in Delhi.

618.7 mm

(VI) RAINFALL IN YAMUNA CATCHMENT (in mm)

Shimla	:	0.0	Ambala	:	0.0
Solan	:	0.0	Paonta	:	8.8
Chandigarh	:	0.0	Tajewala	:	24.6
Jateon Barrage	:	26.0	Dadupur	:	0.0
Nahan	:	5.9	Dehradun	:	6.1
Haripur	:	0.0	Patiala	:	0.0
Bausan	:	0.0	Saharanpur	:	0.0
Karnal	:	0.0	Mathura	:	2.0

(VII) RAINFALL IN SAHIBI CATCHMENT(in mm)

Dadri Toye	:	0.0	Rewari	:	0.0
Massani Barrage	:	0.0	Jaipur	:	15.8

(VIII) INFERENCE:

SYNOPTIC SITUATION (MORNING INFERENCE):

The Northern Limit of Monsoon (NLM) continues to pass through Lat. 24.0°N/ Long. 60.0°E, Lat. 24.0°N/ Long. 70.0°E, Bhuj, Jodhpur, Phalodi and Lat. 28.0°N/ Long. 71.0°E. Conditions are favourable for further advance of southwest monsoon into remaining parts of north Arabian sea, Kutch and West Rajasthan by 13th July. The low pressure area over Jharkhand & neighbourhood now lies over northeast Madhya Pradesh & neighbourhood. The associated upper air cyclonic circulation now extends upto 0.9 km above mean sea level. The upper air cyclonic circulation over West Madhya Pradesh & neighbourhood now lies over southwest Madhya Pradesh & neighbourhood and extends upto 0.9 km above mean sea level. The trough at mean sea level now runs from northwest Rajasthan to east central Bay of Bengal across centre of low pressure area, north Chhattisgarh, Odisha & northwest Bay of Bengal and extends upto 1.5 km above mean sea level. A fresh Western Disturbance as a trough in midtropospheric westerlies runs roughly along Long. 65°E and north of Lat. 30°N.

(IX) GAUGE AND DISCHARGE DATA OF SOME IMPORTANT SITES AT 8.00 AM. ON 11/07/2016

S. No.	Location	Gauge in Meters		Discharge in cusecs	Remark
		U/S	D/S		
I RIVER YAMUNA					
1.	Tajewala/Hathni Kund (6.00 A.M.)			352	
2.	Somb River (6 A.M.)	N/A		Nil	
3.	Palla	207.700			
4.	Jhangola	206.150			
5.	Jagatpur Bund	205.650			
6.	L.F. Bund RD. 5222	Dry			
	L.F. Bund RD.0	Dry			
7.	Wazirabad Barrage	205.59	202.78	800	
8.	Old Rly Bridge	202.34			
9.	Yamuna Barrage	202.23	201.66	1511	
10.	Okhla Barrage (6.00 a.m.)	201.35	194.80	751	
11.	Shahadara Out fall drain (Atta Bridge)	Below			
12.	Jaitpur(Ali Drain)	Below			
II RIVER SAHIBI					
1.	Masani	Dry	Dry		R/F- Nil
2.	Dadri Bridge NO. 1	Dry	Dry		R/F- Nil
	Dadri Bridge No. 2	Dry	-		
Q NAJAFGARH DRAIN					
1.	i) Dhansa Regulator	Dry	Dry	Nil	R/F- Nil
	ii) Dhansa Regulator	Dry	Dry	Nil	
	iii) Dhansa Regulator	Dry	-	Nil	
2.	Chhawla Bridge	208.800			
3.	Kakraula Regulator	208.700			2 Gate Open
4.	Basaidarapur Bridge	N/A			
5.	Bharat Nagar Bridge	207.025	207.000	795	
6.	Timarpur Bridge	203.975	203.950	863	
IV TRUNK DRAIN NO.1					
	R.D.6550 M.	N/A			
	RD. 8950 M.	204.050			
	RD.10330M	204.300			
V CHILLA REGULATOR					
		198.450	198.350		
VI GHAZIPUR DRAIN.					
1	RD.6157M.	199.40			

X Flood Situation in River Yamuna

- (i) **Discharge at Hathni Kund Barrage (3Kms. Upstream of Tajewala)**
(a) Peak discharge during last 24 hrs. **352 Cusecs.**
(b) Discharge at 08.00 hrs. today **352 Cusecs.**

(ii) **WATER LEVEL AT OLD RAILWAY BRIDGE:**

- (a) Max. Gauge during last 24 hr. 202.46
(b) Gauge at 08.00 hrs. today 202.34

Warning level : 204.00 mts.
Danger Level : 204.83 mts.
Highest Flood Level : 207.49 mts.
observed in 1978

**CASE OF WATER LOGGING DUE TO LOCAL RAIN:
Report of I&FC Control Room.**

- (a) Back flow report in I&FC Drains. Nil
(b) Nos. of pumps deployed by I&FC Deptt. Nil

XII FLOOD FORECAST NO. N/A

Copy forwarded for information & necessary action to:-

- 1 The Chief Secretary, Delhi.
- 2 The Principal Secretary to Hon'ble Lt Governor, Delhi.
- 3 Secretary (I&F), Govt. of N.C.T. of Delhi, 5/9 Under Hill 0/Road, Delhi.
- 4 Principal Secretary (Revenue) cum Divisional Commissioner, 5 Sham Nath Marg, Delhi.
- 5 Secretary, DM-1 (Border Management) Minister of Home Affairs North Block, Govt. of India, New Delhi.
- 6 Secretary (PWD), Govt. of NCT of Delhi, 5th Level, B-Wing, Delhi Secretariat, I.P. Estate, New Delhi.
- 7 Additional Secretary (Revenue), 5, Sham Nath Marg, Delhi.
- 8 Spl. Secretary (I&F), Government of Delhi.
- 9 Chairman, Ganga Flood Control Commission, Ministry of Water Resources, Sinchai Bhawan, 3rd, Floor, Patna-800015.
- 10 Member (R.M.), Central Water Commission, Sewa Bhawan, R.K.Puram, New Delhi.
- 11 Member, Water Supply, Delhi Jal Board, Jhandewalan, New Delhi.
- 12 Director (DM-1), MHA, Govt. of India, Lok Nayak Bhawan, Khan Market, Delhi.
- 13 Director (MP-I) Ganga Flood Control Commission, 3rd, Floor, Patna-800015.
- 14 Commissioner, EDMC, Room No.A1-101, 1st Floor, Udyog Sadan, Delhi-92.
- 15 Engineer in-Chief, Public works Department, Govt. of NCT of Delhi, M.S.O. Building, I.P.Estate, New Delhi.
- 16 Commissioner, NDMC, 4th floor, SPM Marg, Civic Centre, J.L.N. Marg, Minto Road, Delhi-110002.
- 17 Commissioner, SDMC, 9th Floor, SPM Marg, Civic Centre, JLN Marg, Minto Road, Delhi-110002.
- 18 Engineer-in-Chief, EDMC, 1st Floor, Udyog Sadan Patpar Ganj, Industrial area, Delhi-110092.
- 19 Engineer-in-Chief, NDMC, 6th Floor, SPM Marg, Civic Centre, JLN Marg, E-Block, Minto Road, Delhi-110002.
- 20 Engineer-in-Chief, SDMC, 6th Floor, SPM Marg, Civic Centre, JLN Marg, Minto Road, Delhi-110002.
- 21 Chief Engineer (Bridges), Northern Rly. Baroda House, New Delhi.
- 22 Chief Engineer (Civil), 1501, 15th Floor, New Delhi Municipal Corporation of Delhi, Palika Kendra, Delhi.
- 23 Chief Engineer (I&F) Zone-I, II, Govt. of Delhi.
- 24 Chief Engineer (FM), CWC, R.No.801 (N), Sewa Bhawan, R.K. Puram, New Delhi.
- 25 Chief Engineer (E&M-II), Delhi Jal Board, Civil Lines, Delhi.
- 26 Commanding Officer, 17 Engineers Regiment, C/o 56 APO, Delhi Cantt. Delhi.
- 27 Assistant Commissioner of Police, Command Room, Police Control Room, (Police HQ) MSO Building, I.P. Estate New Delhi.
- 28 Superintending Surveyor of works to Chief Engineer (I&FC), Govt. of Delhi to kindly upload on website of the I&FC Deptt.
- 29 Superintending Engineer, FC-I, II, III, IV, Govt. of Delhi.
- 30 Superintending Engineer (Haryana Irrigation) 3- Alipur Road, Delhi.
- 31 Superintending Engineer (H.O.C.) A-17, Sector -56, Noida (U.P).
- 32 Incharge, Flood Control Room, O/O D.C. (East), LM. Bund office Delhi.
- 33 Operation Control Room, DMRC, Shastri Park, Delhi.
- 34 Executive Engineer, Okhla Head Works, Okhla, New Delhi.
- 35 All Executive Engineer Flood Control Deptt. Govt. of Delhi.
- 36 Directorate, Information & Publicity Department, Govt. of Delhi.
- 37 Control Room, Delhi Traffic Police, Vikas Minar, New Delhi.
- 38 Guard file.

**INCHARGE FLOOD CONTROL ROOM:
L.M. BUND OFFICE COMPLEX, SHASTRI NAGAR
DELHI-110031.**